

OBSERVED

# CLIMATE TRENDS

AND PROJECTED

# CLIMATE CHANGE

IN THE PHILIPPINES





# **Observed Climate Trends and Projected Climate Change in the Philippines**

Department of Science and Technology

Philippine Atmospheric, Geophysical and  
Astronomical Services Administration

(DOST-PAGASA)

Republic of the Philippines  
Department of Science and Technology (DOST)  
Philippine Atmospheric, Geophysical and Astronomical Services Administration (PAGASA)

© DOST-PAGASA, 2018

ISBN 978-621-95882-0-1

**Published by:**

Department of Science and Technology  
Philippine Atmospheric, Geophysical and Astronomical Services Administration  
Agham Rd., Diliman, Quezon City, 1100 Philippines  
Tel.: +632-434-8130  
Fax: +632-434-5882  
Web site: [www.pagasa.dost.gov.ph](http://www.pagasa.dost.gov.ph)

**Editors:**

Flaviana D. Hilario, Edna L. Juanillo, and Rosalina G. De Guzman

**Contributing Authors:**

Thelma A. Cinco, Marcelino Q. Villafuerte II, Emma D. Ares, John A. Manalo,  
Wilmer A. Agustin, Kimberli Anne M. Aquino, Rex L. Abdon, and Ralph Q. Gaspar

**Responsible Office at PAGASA:**

Climatology and Agrometeorology Division (CAD)

**Cover design and layout:**

Wilmer A. Agustin

**Referencing this report:**

DOST-PAGASA, 2018: Observed and Projected Climate Change in the Philippines. Philippine Atmospheric, Geophysical and Astronomical Services Administration, Quezon City, Philippines, 36 pp.



# Message



The Philippines is an archipelagic country situated in the northwestern region of the Pacific, making it highly exposed to natural hazards such as drought, earthquakes, floods, and tropical cyclones. Consequently, the country ranks third in the 2017 World Risk Index (WRI) of the United Nations University and fifth in the Long-Term Germanwatch Climate Risk Index (CRI) (1996-2015). It is therefore vital that we enhance our coping and adaptive capacities to natural hazards, particularly to climate-related threats that could be worsened by climate variability and change.

It has been seven years since the publication of the *Climate Change in the Philippines* document in February 2011, which has served as an important reference to various users of climate projections. With recent changes and innovations in the field of climate study, the

Philippine Atmospheric, Geophysical and Astronomical Services Administration of the Department of Science and Technology (DOST-PAGASA) has stepped up efforts to update its existing set of local climate information. Using the latest climate models, DOST-PAGASA has generated a collection of datasets from simulations of future climate conditions, termed as climate projections.

The ***Observed Climate Trends and Projected Climate Change in the Philippines*** contains the basic findings of the past and present climate conditions and provides useful information from a range of plausible climate projections that are necessary to guide decision-makers in formulating strategic plans and policies for possible future climate conditions.

On behalf of DOST-PAGASA and our partners, I am honored to share the results of an extensive study on the Philippine climate.

**VICENTE B. MALANO, Ph. D.**  
Administrator, PAGASA



# Preface

This report summarizes important findings about the state of the Philippine climate based on the most recent observations, as well as climate projections, which were derived from state-of-the-art climate models utilizing information from updated future climate scenarios. The publication of this report is very timely especially in the formulation of local climate change action plans and in the mainstreaming activities of the national and local government units. This may serve as a reference for different users needing information in formulating climate change adaptation strategies at the national and local levels.

Also included in this report are the summaries of the seasonal climate projection data for each province of the Philippines. A comprehensive guide in the proper utilization of the climate projections using DOST-PAGASA's newly developed Climate Information Risk Analysis Matrix (CLIRAM) is provided herein. We have high hopes that many users will find the information useful for their own applications, and we look forward to everybody's support and cooperation in promoting a climate-resilient country.

DOST-PAGASA extends its deepest gratitude to the following individuals, and the agencies they represent, for their expertise, tireless assistance, and motivation in the generation of the projection data from which this report was based upon: Joseph Daron, Richard Jones, Ian Macadam, Florian Gallo, Ron Kahana, Claire Scannell, David Hein, Simon Tucker, Rosanna Amato, and David Corbelli of the UK Met Office Hadley Center; Jack Katzfey and Dewi Kirono of Commonwealth Scientific and Industrial Research Organisation (CSIRO), Australia; Kevin Hodges of the Department of Meteorology, University of Reading, Reading, United Kingdom; and Sharon Taylor of the Philippine Rural Reconstruction Movement (PRRM).





# Key Findings



## Temperature

Observed temperature in the Philippines is warming at an average rate of 0.1°C/decade. Climate projections suggest continuous warming in the future. It is projected that the country-averaged mean temperature could increase by as much as 0.9°C–1.9°C (assuming the moderate emission scenario, RCP4.5) and 1.2°C–2.3°C (considering the high emission scenario, RCP8.5) in the mid-21st century (2036–2065). Warmer conditions are further expected by the end of the 21st century (2070–2099), which could range from 1.3°C–2.5°C (based on the RCP4.5) to 2.5°C–4.1°C (based on the RCP8.5) increase in mean temperature relative to the baseline climate.



## Rainfall

Increasing trends in annual and seasonal rainfall were observed in many parts of the country. Such trends were found to be associated with extreme rainfall events. Multi-model projections suggest a range of increase and decrease in seasonal-mean rainfall exceeding 40% of its historical values. Nevertheless, the multi-model central estimate of projected changes in rainfall could be within the natural rainfall variations, except for the projected rainfall reduction over central sections of Mindanao that are beyond the observed rainfall variations in the past.



## Tropical Cyclone

In the past 65 years (1951–2015), a slight decrease in the number of tropical cyclones (TCs) and a minimal increase in the frequency of very strong TCs (exceeding 170kph) were observed over the Philippine area of responsibility (PAR). These trends are projected to continue in the future. It has to be noted, however, that the high year-to-year variations in the frequency of occurrence and intensity of TCs remain to be dominant in the future Philippine climate conditions.



## Sea Level Rise

The sea level has risen by nearly double the global average rate of sea level rise over certain parts of the Philippines from 1993 to 2015. Projections reveal that sea level in the country is expected to increase by approximately 20 cm by the end of the 21st century under the RCP8.5 scenario. Such projected increase in sea level might worsen storm surge hazards particularly on coastal communities.






## Changes in Temperature

*Observed temperature in the Philippines is warming at an average rate of 0.1°C/decade. Climate projections suggest continuous warming in the future. It is projected that the country-averaged mean temperature could increase by as much as 0.9°C–1.9°C (assuming the moderate emission scenario, RCP4.5) and 1.2°C–2.3°C (considering the high emission scenario, RCP8.5) in the mid-21st century (2036–2065). Warmer conditions are further expected by the end of the 21st century (2070–2099), which could range from 1.3°C–2.5°C (based on the RCP4.5) to 2.5°C–4.1°C (based on the RCP8.5) increase in mean temperature relative to the baseline climate.*

### Observed changes in temperature

Over the past 65 years (1951–2015), the annual mean temperature in the Philippines has risen by 0.68°C, which translates to an average rate of increase by about 0.1°C/decade (Fig. 1a). The country's annual maximum temperature, on the other hand,

has increased at a slower rate of approximately 0.05°C/decade while the annual minimum temperature has increased more rapidly at 0.15°C/decade (Fig. 1b and 1c, respectively).




**Figure 1.** Time series of observed (a) annual-mean, (b) annual-minimum, and (c) annual-maximum temperature anomalies in the Philippines. Anomaly values were taken relative to the 1971–2000 baseline period; dashed lines are the linear fit of the data indicating their long-term trends. All trends are found to be statistically significant at 5% level based on the Mann-Kendall trend test (see, Ref. 1).

## Projected changes in temperature

3

The annual mean surface air temperature in the Philippines is expected to increase from  $0.9^{\circ}\text{C}$  to  $1.9^{\circ}\text{C}$  for the moderate emission scenario (RCP4.5) and from  $1.2^{\circ}\text{C}$  to  $2.3^{\circ}\text{C}$  for the high emission scenario (RCP 8.5) in the mid-21st century (2036–2065), and from  $1.3^{\circ}\text{C}$  to  $2.5^{\circ}\text{C}$  (RCP4.5) to as warm as  $2.5^{\circ}\text{C}$  to  $4.1^{\circ}\text{C}$  (RCP8.5) by the end of 21st century (2070–2099; Fig. 2).



**Figure 2.** Time series of country-averaged annual-mean temperature anomalies in the Philippines. Anomaly values were taken relative to the 1971–2000 baseline period. Shadings indicate the inter-model range. For comparison, the observed values from 1951 to 2015 are included (thick black line). The bars correspond to the 10th, 50th and 90th percentiles; while the whiskers correspond to the minimum and maximum projected temperature anomaly values by the mid- and end of the 21st century.

# Observed Climate Trends and Projected Climate Change in the Philippines




## Projected changes in temperature

The spatial distribution of observed annual mean temperature is shown in Fig. 3a; most areas in the country have experienced air temperatures exceeding 26°C, while, as expected, slightly cooler areas are found in mountainous regions. These temperatures

are projected to increase uniformly and minimally across the country in both the moderate-emission (RCP 4.5) and the high-emission (RCP 8.5) scenarios (Fig. 3b and Fig. 3c, respectively).

**Figure 3.** Spatial distribution of (a) observed annual average temperature for 1971-2000 and projected temperature changes for the mid-21st century (2036-2065) at (b) RCP 4.5 and (c) RCP 8.5 relative to the aforementioned baseline period. Observed data is sourced from the Asian Precipitation - Highly Resolved Observational Data Integration Towards Evaluation (APHRODITE) project.





## Observed Climate Trends and Projected Climate Change in the Philippines




# Changes in Rainfall

*Increasing trends in annual and seasonal rainfall were observed in many parts of the country. Such trends were found to be associated with extreme rainfall events. Multi-model projections suggest a range of increase and decrease in seasonal-mean rainfall exceeding 40% of its historical values. Nevertheless, the multi-model central estimate of projected changes in rainfall could be within the natural rainfall variations, except for the projected rainfall reduction over central sections of Mindanao that are beyond the observed rainfall variations in the past.*

## Observed changes in rainfall

Changes in rainfall over the Philippines have been found to vary spatially<sup>2,3,4</sup> and thus more effective to present in terms of spatial maps (Fig. 4). From 1951 to 2010, the annual total rainfall over northern sections of Luzon, Palawan, western sections of Visayas, and central and western sections of Mindanao have declined while increasing trends have

been observed in other areas, notably, the central parts of Luzon, eastern section of Visayas, and the northeastern and southwestern sections of Mindanao at a rate ranging from 10mm/decade to as much as a rate exceeding 40mm/decade. Such trends in annual total rainfall are associated with extreme rainfall events.



**Figure 4.** Observed trends in annual total rainfall and extreme rainfall in the Philippines during the period from 1951 to 2010. Extreme rainfall is defined here as the annual total rainfall taken from those days that exceeded the 95th percentile of rainfall on wet days ( $RR \geq 1 \text{ mm}$ ) in the 1971–2000 baseline period. Areas marked with dots denote statistical significance at 5% level based on the Mann-Kendall test.




## Observed Climate Trends and Projected Climate Change in the Philippines



Rainfall in the Philippines is not only spatially variable, but also highly seasonal<sup>3,4</sup>; hence, it is interesting to know whether different trends can be observed across seasons. Figure 5 shows the trends in seasonal total rainfall. Increasing trend in rainfall is observed pronouncedly over the northeastern section of Mindanao and eastern portions of Visayas in December–January–February coinciding to the northeast monsoon season. Note that the northeast monsoon season coincides also to the wet season over those areas implying for an increased risk of flooding potential on parts of the areas mentioned. Increasing trends in rainfall are also observed over central portions of Luzon and northeastern

sections of Mindanao in March–April–May season. In the following seasons of June–July–August and September–October–November, similar patterns of increasing rainfall trends are observed over the Ilocos Region, and north eastern and southern parts of Mindanao; while decreasing trend is apparent in most parts of the country.

A noticeable drying trend can be observed over the northeastern portion of Luzon, and in central and northwestern sections of Mindanao in almost all seasons.



**Figure 5.** Observed trends in seasonal total rainfall in the Philippines during the period from 1951 to 2010. Areas marked with dots denote statistical significance at 5% level based on the Mann-Kendall test.




## Observed Climate Trends and Projected Climate Change in the Philippines

### Projected changes in rainfall

The models used in this report are suggesting a wide range of future changes in Philippine rainfall (Fig. 6). Considering the models' assumptions underlying RCP8.5 scenario, the driest possible rainfall change (i.e., the 10th percentile of the models' projections) could reach beyond 40% reduction in many areas, particularly over Mindanao by the mid-21st century. The wettest possible change (i.e., the 90th percentile of the models' projections), on the other hand, could exceed a 40% increase in rainfall, particularly over

Luzon, western sections of Visayas, and some parts of Mindanao. The multi-model central estimate (i.e., the 50th percentile or the median) future rainfall conditions will be well within its natural variability (i.e.,  $\pm 1$  standard deviation of observed rainfall); except for the drier future over central sections of Mindanao, particularly in September-October-November and the December-January-February seasons, which might require actionable climate change adaptation plans.



**Figure 6.** Projected changes in seasonal mean rainfall in the Philippines for the mid-21st century (2036–2065) relative to the baseline period of 1971–2000. The wettest possible change represents the 90th percentile of the projections, 50th percentile or the median, and 10th percentile is driest possible change; these were computed from the 12-member high emission scenario (RCP8.5) RCM ensemble. Dotted areas denote that the change is beyond the natural variability (i.e.  $\pm 1$  standard deviation of the baseline period).




## Changes in Tropical Cyclone

*In the past 65 years (1951–2015), a slight decrease in the number of tropical cyclones (TCs) and a minimal increase in the frequency of very strong TCs (exceeding 170kph) were observed over the Philippine area of responsibility (PAR). These trends are projected to continue in the future. It has to be noted, however, that the high year-to-year variations in the frequency of occurrence and intensity of TCs remain to be dominant in the future Philippine climate conditions.*

### Observed changes in tropical cyclones

The number of tropical cyclones (TCs) entering the Philippine area of responsibility (PAR), and the number of TCs that made landfall, shows a minimal decreasing trend from 1951 to 2015 (Fig. 7a). Looking at the number of very strong TCs with

maximum sustained wind speeds exceeding 170 kph, a slight increasing trend is observed during the period from 1980 to 2015 (when more reliable and consistent observations were taken), as shown by the red dashed line in Fig. 7b.



**Figure 7.** (a) Time series of annual number of TCs over PAR and landfalling TCs from 1951 to 2015, (b) time series of annual count of all (black line) and very intense tropical cyclones (maximum sustained winds >170kph, red line) that entered the PAR from 1980 to 2015, and (c) kernel density plots estimated from maximum sustained wind speeds of all the tropical cyclones that existed in PAR comparing two time periods (1980-1997 and 1998-2015, black and red curves, respectively). Dashed lines in (a) and (b) indicate linear trends. The TC data shown in (a) were taken from PAGASA while (b) and (c) were based from the Japan Meteorological Agency.



## Observed Climate Trends and Projected Climate Change in the Philippines

### Projected changes in tropical cyclones

Scientists from PAGASA and the UK Met Office has worked together to investigate the possible changes in tropical cyclones that could affect the Philippines in the future<sup>5</sup>. Considering the five regional climate model simulations, which cover a domain that includes the PAR and assuming a high emission scenario (RCP8.5), the projected changes in the behaviour of TCs in the mid-21st century (2036-2065) were found consistent with the currently observed trends (Fig. 8). Three of the models suggest that decrease in tropical cyclone frequency is significant, while the two others suggest that no change is expected. In terms of the TC intensity, four of the models agree in a projected increase, two of which are significant. This is consistent with the report of the

IPCC that in the 21st century the average annual number of TCs in the Western North Pacific is expected to decrease, and that an increase in the frequency of strong TCs in the region is "more likely than not"<sup>6</sup>.

A caveat in the projections is that not all possible contributing factors in the development and behaviour of TCs were considered. The model simulations further indicate that the year-to-year variability will remain high in the future<sup>5</sup>. Hence, the lessons we learned in the past in mitigating tropical cyclone impacts are important to consider in the formulation of plans and programs for climate change adaptation.

	Climate Model Simulations				
	1	2	3	4	5
Change in tropical cyclone frequency	↓	↓	—	—	↓
Change in tropical cyclone intensity	—	↑	↑	↑	↑

**Figure 8.** Projected changes in tropical cyclones affecting the Philippines by the mid-21st century assuming high emission scenario (RCP8.5). Black arrows indicate significant changes, grey arrows indicate insignificant changes, and a dash indicates no change. Taken from [5].





## Changes in Sea Level

*The sea level has risen by nearly double the global average rate of sea level rise over certain parts of the Philippines from 1993–2015. Projections reveal that sea level in the country is expected to increase by approximately 20 cm by the end of the 21st century under the RCP8.5 scenario. Such projected increase in sea level might worsen storm surge hazards particularly on coastal communities.*



### Observed changes in sea level

Based on satellite observations (AVISO altimetry data) taken from 1993 to 2015, the sea level has risen by as much as 5.7–7.0 mm/yr over the Philippine Sea (Fig. 9). Such rate is approximately double the highest global average rate of 2.8–3.6 mm/yr, which was observed between 1993 to 2010. This difference could be attributed to the occurrence of natural climate-related phenomena, e.g. El Niño Southern Oscillation (ENSO), which directly affects the tropical Pacific region<sup>7</sup>.

Looking closely at different coastal areas in the country, a rate of sea level rise as high as 4.5–5.0 mm/yr is observed east of the islands of Leyte and Samar, and along the south western coasts of the Central and Western Visayas, and east of Mindanao and south of Zamboanga (Fig. 9).

Noticeable changes were also observed at specific locations (Fig. 10). Tide gauge observations from National Mapping and Resource Information Authority (NAMRIA) indicate that a rapid increase in sea level was observed in Manila, particularly from 1955 to 2015. However, this is attributed to long-term land subsidence from excessive groundwater

extraction<sup>8</sup>. Gradual increases in sea level were observed in Legazpi and Davao, while no apparent trend was observed in Cebu and Jolo, Sulu.



**Figure 9.** Sea level changes in the Philippines region from 1993-2015. Taken from [9].

**Figure 10.** Sea level rise in selected areas (in mm) above the Revised Local Reference (RLR) level (7,000 mm). Data source: National Mapping and Resource Information Authority (NAMRIA)




## Observed Climate Trends and Projected Climate Change in the Philippines

### Projected changes in sea level

As shown in Figure 11, sea level rise in the Philippines will continue to be slightly larger than the global average<sup>9</sup>. In both the moderate (RCP4.5) and high (RCP8.5) emission scenarios, the increase is expected to be almost the same by the mid-21st century. The trend for RCP4.5 will continue to be linear up to the end of the 21st century, while the trend for RCP8.5 will follow a

rather exponential increase - leading to a sea level rise by approximately 20 cm (Fig. 11b and 11c). The projected increase in sea level might worsen storm surge hazards particularly on coastal communities, which requires climate change adaptation action plans.



**Figure 11.** (a) shows the historical sea level change (SLC) from tide gauge observations and future projections; (b) and (c) contain time series plots of the global mean sea level change projections under RCP4.5 and RCP8.5. The plot in (a) shows the sum of SLC components for the global ocean (black line, with uncertainty range in grey) and for the coastal region of Legaspi City, Philippines (blue line, with uncertainty), under the RCP8.5 future scenario. Annual mean tide-gauge measurements from Legaspi (blue line) and Cebu (green line) are also presented and a linear trend is added to the observations from Legaspi. The solid line in (a), (b), and (c) represent the central estimate and the shaded area represent the uncertainty of the likely range. Taken from [9]





## Methodology


*This section contains a brief discussion on how climate projections for the Philippines were generated — the models utilized, the model settings, the time slices, and the range of possible climate futures. The latest climate scenarios, the Representative Concentration Pathways (RCPs), are also introduced.*

The previous climate change information for the Philippines were presented by DOST-PAGASA on 2011<sup>10</sup>. These were based on future socio-economic conditions known as the Special Report Emission Scenario (SRES). The SRES covered a wide range of possible future atmospheric GHG concentration, however none were based on policies for climate change mitigation. To resolve this, the IPCC released a new set of scenarios representing the cumulative concentration of GHGs. These new set of scenarios were designated as the Representative Concentration

Pathways (RCPs) and have names based on radiative forcing (energy accumulated by the GHGs in the atmosphere) levels. The main difference between the new RCPs and the previous SRES scenarios is that there are no fixed sets of assumptions related to population growth, economic development, or technology associated with any RCP. Many different socio-economic futures are possible leading to the same level of radiative forcing.

The new set of climate projections for the Philippines were based on two of the most recent scenarios from the IPCC: RCP4.5 (moderate level of GHG emissions) and RCP8.5 (high level of GHG emissions).

Figure 12 illustrates how the climate projections were derived. Initially, the global climate models (GCMs) project the possible future climate conditions given a particular greenhouse gases concentration (i.e., the RCPs). Different physical and dynamical processes of the climate system are represented in the GCMs. The GCM-derived climate projections are then downscaled by the regional climate models (RCMs), namely the Conformal Cubic Atmospheric Model (CCAM)<sup>11</sup>, the Providing Regional Climates for Impacts Studies (PRECIS) model<sup>12</sup>, the RegCM4<sup>13</sup>, and the HadGEM3-RA<sup>14</sup>, to provide more realistic and spatially detailed quantities (e.g., rainfall, temperature, pressure, etc.) at local scales (i.e. downscaled)<sup>15</sup>. For a technically detailed discussion of all the models used in generating the projections, refer to [16].



**Figure 12.** Illustration of the general scheme of the climate modeling processes that produced the currently available climate projections for the Philippines [9].



## Observed Climate Trends and Projected Climate Change in the Philippines



### The CLIRAM Tool

*This section introduces the Climate Information Risk Analysis Matrix tool and provides a comprehensive guide on its utilization*

Using the collection of RCP-based projections available for the Philippines, DOST-PAGASA has derived a range of climate futures to help policy makers, such as LGUs, establish robust decisions on mitigation and adaptation options<sup>17</sup>. This new approach in utilizing climate projection data is the underlying concept in the Climate Information Risk Analysis Matrix (CLIRAM) tool.

The CLIRAM provides the projected changes in climate variables (particularly for rainfall, mean temperature, minimum temperature, and maximum temperature) in both the mid-21st century (2036–2065) or the late-21st century (2070–2099) relative to the 1971–2000 baseline period. Following the descriptions of the parts of the CLIRAM and an instruction on its utilization which was partly adapted from the procedures found in the Climate and Disaster Risk Assessment (CDRA) process<sup>15</sup>.

#### Parts of the CLIRAM Tool

The current version of the CLIRAM tool is based on the suggestions given by the participants in the pilot testings. Originally, there were separate CLIRAMs for each season. The new layout (see Tables 1 and 2) displays data for all seasons, which is helpful for the analysis and interpretation of interseasonal patterns of change. Column 1 in both Tables indicate the season as well as the observed baseline value for the period (i.e. from 1971 to 2000). Projections for each season are divided into two sets based on the driving scenario of the climate model sources (see Column 2). These projections are further clustered into percentiles, categorized in Column 3 as the lower bound (10th percentile), median (50th

percentile), and upper bound (90th percentile). Column 4 contains the amount of change between the target period and the baseline period expressed in absolute values for temperature and percent difference in the rainfall CLIRAM (which is provided as actual change amount in Column 5). The projected values for the target period is listed on Column 5 and Column 6 of the temperature (i.e. for the minimum, maximum, and mean) and rainfall CLIRAM, respectively. Instructions on filling up the blank columns are provided are as follows.

#### Utilizing the CLIRAM Tool

In accomplishing the CLIRAM for seasonal total rainfall, determine the projected patterns of change (Column 6 of Table 1) based on the following (refer to Column 4 to 6):

1. The drier-end of the range of projections;
2. The wetter-end of the range of projections; and
3. The median which represents the multi-model central estimate.

If the reader is familiar with CDRA, one may notice in Table 1 that unlike Task 1 of Step 1 in the CDRA process, the CLIRAM does not require any computation, but instead already provides the values necessary for Columns 5 and 6. The same goes for the mean temperature CLIRAM (see Table 2).

For each season, assess first the lower bound that



# Observed Climate Trends and Projected Climate Change in the Philippines

**Table 1.** Sample CLIRAM of projected changes in seasonal total rainfall in the mid-21<sup>st</sup> century (2036-2065) for Metro Manila; baseline period = 1971-2000.

Season	Scenario	Range*	Projected Change			Information about patterns of change**			Potential Impacts	Adaptation Option	
			Col 4	Col 5	Col 6	Col 7	Col 8	Col 9			
December-January-February (DJF)	Observed baseline = 107.5 mm	Moderate Emission (RCP4.5)	Lower Bound -0.1	-0.2	107.3	Minimal to no change			Assess the potential impacts using the Steps 2-4 of the CDR process	Assess the potential impacts using the Steps 5-6 of the CDR process	
		Median	17.7	19.0	126.5	Rainfall will most likely increase (17%) during the Northeast (NE) Monsoon or Amihan					
		Upper Bound	55.5	59.6	167.1	The wettest possible rainfall change during the Northeast (NE) Monsoon or Amihan shows an increase of 55%. This increase could be beneficial to some sectors of the community, as this season corresponds to the dry months over the region					
		Lower Bound	2.7	2.9	110.4	Minimal to no change					
		Median	27.8	29.9	137.4	Rainfall will most likely increase (20%) during the Northeast (NE) Monsoon or Amihan, same with the RCP4.5					
	Observed baseline = 193.5 mm	High Emission (RCP8.5)	Upper Bound	53.4	57.4	164.9	The wettest possible rainfall change during the Northeast (NE) Monsoon or Amihan shows an increase of 53%. This increase could be beneficial to some sectors of the community, as this season corresponds to the dry months over the region				
		Moderate Emission (RCP4.5)	Lower Bound	0.7	1.3	199.8	Minimal to no change				
		Median	6.9	13.7	212.2	Minimal to no change					
		Upper Bound	25.7	51.1	249.6	Increase in rainfall during the dry months					
		Lower Bound	-7.2	-14.3	184.2	A driest possible change in rainfall shows a slight reduction of about 7% during the dry season. This change could have adverse impacts on human health, water resources, and businesses, among others.					
March-April-May (MAM)	Observed baseline = 193.5 mm	High Emission (RCP8.5)	Median	4.8	9.6	208.1	Minimal to no change			Assess the potential impacts using the Steps 2-4 of the CDR process	Assess the potential impacts using the Steps 5-6 of the CDR process
		Upper Bound	19.8	39.4	237.9	Increase of 20% in rainfall during the dry season,					
		Moderate Emission (RCP4.5)	Lower Bound	-21.3	-249.4	920.8	The driest possible rainfall change during the Southwest Monsoon (SW) or Habagat shows a 20% reduction. Areas already vulnerable to flooding will continue to be affected, but this might affect the availability of water resources.				
		Median	-10.1	-118.6	1051.6	Minimal to no change					
		Upper Bound	-0.4	-5.0	1165.2	Minimal to no change					
	Observed baseline = 1170.2 mm	High Emission (RCP8.5)	Lower Bound	-17.0	-199.3	970.9	The driest possible future rainfall change during the Southwest Monsoon (SW) or Habagat shows a 17% reduction. Areas already vulnerable to flooding will continue to be affected, but this might affect the availability of water resources.			Assess the potential impacts using the Steps 2-4 of the CDR process	Assess the potential impacts using the Steps 5-6 of the CDR process
		Median	-6.1	-71.7	1098.5	Minimal to no change					
		Upper Bound	7.7	90.3	1260.5	Minimal to no change					
		Moderate Emission (RCP 4.5)	Lower Bound	-10.8	-82.3	676.4	The driest possible future rainfall change during the transition period from NE to SW monsoon shows a reduction of 10%.				
		Median	-6.0	-45.2	713.5	Minimal to no change					
September-October-November (SON)	Observed baseline = 758.7 mm	Upper Bound	7.7	58.5	817.2	Minimal to no change			Assess the potential impacts using the Steps 2-4 of the CDR process	Assess the potential impacts using the Steps 5-6 of the CDR process	
		Lower Bound	-8.0	-60.6	698.1	Minimal to no change					
		Median	3.9	29.6	788.3	Minimal to no change					
		Upper Bound	19.9	150.7	909.4	The wettest possible rainfall change is about 19%, during the transition period					

\* upper bound: 90th percentile; median: 50th percentile; lower bound: 10th percentile



## **Observed Climate Trends and Projected Climate Change in the Philippines**

represents the rainfall change. Determine whether the reduction is relevant relative to the baseline climate. For example in Table 1, on the March–April–May season, the lower bound change (with red highlight) under the high emission scenario shows a slight rainfall reduction. Considering that this projection is on the dry season of Metro Manila, it could have potential impacts to various sectors.

The same procedure can be used to assess the seasonal mean temperature in Table 2. Identify the lower and upper bound to get the temperature range for each season and input this on Column 6. Based on these, identify the coldest and hottest seasons. The projected temperature shows warming in all seasons, but a greater warming is indicated under the high emission scenario (RCP8.5).

For users to assess the potential impacts (see Column 8 of Table 1 and Column 7 of Table 2) on their respective sectors for each of the projected change, they could refer to steps 2–4 in the CDRA process. In determining the impacts, a particular climate risk must be identified. For example, if one is looking at risk of flooding, then consider the wettest possible change during the wet season.

Possible adaptation options for each potential impact should be identified following Steps 5 & 6 in the CDRA process. Ideally, this part should be carried out by the focal lead from the LGU (either the Planning Officer, Local Disaster Risk Reduction Officer, or Municipal Agriculturist).

Examples of accomplished CLIRAMs of both seasonal rainfall and mean temperature in the mid-21st century are shown in the Appendix. These were filled-out by officials from the Municipality of Salcedo, Eastern Samar during the conduct of a CLIRAM utilization workshop.

A summary of the seasonal climate projections for all Philippine provinces are provided in the Annex. To aid in the analysis, a provincial-level map of the distribution of the projected changes is also available. If interested to acquire the detailed CLIRAM of a particular area/s (e.g. the example provided herein) including the projection maps, the reader may request from DOST-PAGASA through any of the contact information provided at the back portion of the cover page of this report.

## Observed Climate Trends and Projected Climate Change in the Philippines

Table 2. Sample CLIRAM of projected changes in seasonal mean temperature in the mid-21<sup>st</sup> century (2036-2065) for Metro Manila; baseline period = 1971-2000.

Season	Scenario	Range*	Projected Change			Information about patterns of change		Potential Impacts	Adaptation Option
			Col 3	Col 4	Col 5	Col 6	Col 7		
<b>December-January-February (DJF)</b>  <b>Observed baseline = 26.1°C</b>	Moderate Emission (RCP 4.5)	Lower Bound	1.0	27.1	27.1	Coldest season			
		Median	1.2	27.3	27.1 to 27.7				
	High Emission (RCP 8.5)	Upper Bound	1.6	27.7					
		Lower Bound	1.2	27.3					
	Moderate Emission (RCP 4.5)	Median	1.6	27.7	27.3 to 28.0				
		Upper Bound	1.9	28.0					
<b>March-April-May (MAM)</b>  <b>Observed baseline = 28.8°C</b>	Moderate Emission (RCP 4.5)	Lower Bound	0.9	29.7	29.7				
		Median	1.2	30.0	29.7 to 30.5				
	High Emission (RCP 8.5)	Upper Bound	1.7	30.5					
		Lower Bound	1.3	30.1	Hottest season				
	Moderate Emission (RCP 4.5)	Median	1.6	30.4	30.1 to 31.0				
		Upper Bound	2.2	31.0					
<b>June-July-August (JJA)</b>  <b>Observed baseline = 28.0°C</b>	Moderate Emission (RCP 4.5)	Lower Bound	1.0	29.0	29.0				
		Median	1.3	29.3	29.0 to 29.8				
	High Emission (RCP 8.5)	Upper Bound	1.8	29.8					
		Lower Bound	1.3	29.3					
	Moderate Emission (RCP 4.5)	Median	1.5	29.5	29.3 to 30.3				
		Upper Bound	2.3	30.3					
<b>September-October-November (SON)</b>  <b>Observed baseline = 27.4°C</b>	Moderate Emission (RCP 4.5)	Lower Bound	1.0	28.4	28.4				
		Median	1.1	28.5	28.4 to 29.2				
	High Emission (RCP 8.5)	Upper Bound	1.8	29.2					
		Lower Bound	1.3	28.7					
	High Emission (RCP 8.5)	Median	1.5	28.9	28.7 to 29.0				
		Upper Bound	2.2	29.6					

\* upper: 90th percentile; median: 50th percentile; lower: 10th percentile

## References

1. H.B. Mann. Nonparametric tests against trend. *Econometrica* 13, 245–259. (1945).
2. T.A. Cinco, R.G. de Guzman, F.D. Hilario, and D.M. Wilson. Long-term trends and extremes in observed daily precipitation and near surface air temperature in the Philippines for the period 1951–2010. *Atmospheric Research* 145–146, 12–26. (2014).
3. M.Q. Villafuerte II, J. Matsumoto, I. Akasaka, H.G. Takahashi, H. Kubota, and T.A. Cinco. Long-term trends and variability of rainfall extremes in the Philippines. *Atmospheric Research* 137, 1–13. (2014).
4. M.Q. Villafuerte II, J. Matsumoto, and H. Kubota. Changes in extreme rainfall in the Philippines (1911–2010) linked to global mean temperature and ENSO. *International Journal of Climatology* 35, 2033–2044.
5. F. Gallo, J. Daron, I. Macadam, T. A. Cinco, M. Q. Villafuerte, E. Buonomo, S. Tucker, D. Hein-Griggs, and R. G. Jones. High-resolution Regional Climate Model Projections of Future Tropical Cyclone Activity in the Philippines. *International Journal of Climatology*. DOI:10.1002/joc.5870 (2018).
6. IPCC. Climate Change 2013: The Physical Science Basis. Contribution of Working Group I to the Fifth Assessment Report of the Intergovernmental Panel on Climate Change. Cambridge University Press, Cambridge, United Kingdom and New York, NY, USA. 1535. (2013).
7. B. Meyssignac, D. Salas Y Melia, M. Becker, W. Llovel, and A. Cazenave. Tropical Pacific spatial trend patterns in observed sea level: Internal variability and/or anthropogenic signature? *Climate of the Past* 8, 787–802. (2012).
8. K. S. Rodolfo and F. P. Siringan. Global sea-level rise is recognised, but flooding from anthropogenic land subsidence is ignored around northern Manila Bay, Philippines. *Disasters* 30, 118–139. (2006).
9. R. Kahana, R. Abdon, J. Daron, C. Scannell, and M. Palmer. Projections of mean sea level change for the Philippines. Met Office, Exeter, Devon, United Kingdom and Philippine Atmospheric, Geophysical and Astronomical Services Administration (PAGASA), Quezon City, Philippines. 29. (2016).
10. PAGASA. Climate Change in the Philippines. Phillipine Atmospheric, Geophysical and Astronomical Services Administration (PAGASA), Quezon City, Philippines. 85. (2011).
11. J. J. Katzfey, J. L. McGregor, and R. Suppiah. High-Resolution Climate Projections for Vietnam: Technical Report. Commonwealth Scientific and Industrial Research Organisation (CSIRO), Australia. 226. (2014).
12. R. G. Jones, M. Noguer, D. C. Hassell, D. Hudson, S. S. Wilson, G. J. Jenkins, and J. F. B. Mitchell. Generating high resolution climate change scenarios using Precis. National Communications Support Unit Handbook. 40. (2004).

## **Observed Climate Trends and Projected Climate Change in the Philippines**



13. F. Giorgi and co-authors. RegCM4: Model description and preliminary tests over multiple CORDEX domains. *Climate Research* 52, 7–29. (2012).
14. G. M. Martin and co-authors. The HadGEM2 family of Met Office Unified Model climate configurations. *Geoscientific Model Development* 4, 723–757. (2011).
15. HLURB. CLUP Guidebook: A Guide to Comprehensive Land Use Plan Preparation. Supplemental Guidelines on Mainstreaming Climate and Disaster Risks in the Comprehensive Land Use Plan. Housing and Land Use Regulatory Board (HLURB), Quezon City, Philippines. 243. (2015).
16. M. Villafuerte II and co-authors. Dynamical downscaled multi-model projections of future changes in rainfall and temperature over the Philippines. Submitted to *Theoretical and Applied Climatology*. (2017).
17. J. Daron and co-authors. Providing future climate projections using multiple models and methods: insights from the Philippines. Submitted to *Climatic Change*. (2017).

# Observed Climate Trends and Projected Climate Change in the Philippines

## Appendix A


Provided here are samples of accomplished CLIRAMs of seasonal total rainfall and seasonal mean temperature of the mid-21st century for the Province of Eastern Samar. Accompanying each CLIRAM are spatial maps of the distribution of rainfall and temperature in the province according to the 90th percentile, 50th percentile, and 10th percentile of the range of projection values.

**Table A-1.** Accomplished CLIRAM of the projected seasonal total rainfall in Eastern Samar for the mid-21st century (2036–2065); baseline period: 1971–2000.

Season	Scenario	Range*	Projected Change			Projected Seasonal Rainfall Amount (mm)	Information about patterns of change	Potential Impacts	Adaptation Option
			Col 4	Percent (%)	Rainfall amount (mm)				
Col 1	Col 2	Col 3	Col 5	Col 6	Col 7	Col 8	Col 9		
<b>December-January February (DJF)</b> <b>Observed baseline = 987 mm</b>	Moderate Emission (RCP 4.5)	Lower Bound Median	-4.2 1.3	-41.1 12.5	945.9 999.5	Minimal to no change	<ul style="list-style-type: none"> <li>Farm flooding, crops ruined (e.g. wash out planted cassava 6-8 months growing period)</li> <li>Pest &amp; disease infestation</li> <li>Increased cost of lodging animals &amp; crops</li> </ul>	<ul style="list-style-type: none"> <li>Farm flooding, crops ruined (e.g. wash out planted cassava 6-8 months growing period)</li> <li>Pest &amp; disease infestation</li> <li>Increased cost of lodging animals &amp; crops</li> </ul>	
		Upper Bound	45.0	444.4	1431.4				
		Lower Bound Median	-7.9 13.7	-77.8 135.2	909.2 1122.2	Minimal to no change			
		Upper Bound	43.6	430.8	1417.8	Minimal to no change			
		High Emission (RCP 8.5)							
	High Emission (RCP 8.5)	Lower Bound Median	-2.6 1.8	-12.1 8.2	452.0 472.3	Minimal to no change	<ul style="list-style-type: none"> <li>Farm flooding, crops ruined (e.g. wash out planted cassava 6-8 months growing period)</li> <li>Pest &amp; disease infestation</li> <li>Increased cost of lodging animals &amp; crops</li> </ul>	<ul style="list-style-type: none"> <li>Farm flooding, crops ruined (e.g. wash out planted cassava 6-8 months growing period)</li> <li>Pest &amp; disease infestation</li> <li>Increased cost of lodging animals &amp; crops</li> </ul>	<ul style="list-style-type: none"> <li>Decrease in yield/production</li> </ul>
		Upper Bound	17.4	80.8	544.9	Minimal to no change			
		Lower Bound Median	5.8	26.3	490.9	Minimal to no change			
		Median	1.1	5.3	469.4	Minimal to no change			
		Upper Bound	13.0	60.3	524.4	Minimal to no change			
<b>March-April-May (MAM)</b> <b>Observed baseline = 464 mm</b>	Moderate Emission (RCP 4.5)	Lower Bound Median	-6.7 -1.1	-37.5 -6.0	522.3 553.8	Minimal to no change	<ul style="list-style-type: none"> <li>Farm flooding, crops ruined (e.g. wash out planted cassava 6-8 months growing period)</li> <li>Pest &amp; disease infestation</li> <li>Increased cost of lodging animals &amp; crops</li> </ul>	<ul style="list-style-type: none"> <li>Farm flooding, crops ruined (e.g. wash out planted cassava 6-8 months growing period)</li> <li>Pest &amp; disease infestation</li> <li>Increased cost of lodging animals &amp; crops</li> </ul>	<ul style="list-style-type: none"> <li>Decrease in yield/production</li> </ul>
		Upper Bound	8.3	46.4	606.2	Minimal to no change			
		Lower Bound	-14.0	-78.3	481.5	Minimal to no change			
		Median	-0.6	-3.2	556.6	Minimal to no change			
		Upper Bound	9.7	54.6	614.4	Minimal to no change			
	High Emission (RCP 8.5)	Lower Bound	-20.1	-174.9	696.5	The driest possible future rainfall change during the transition period from NE to SW monsoon shows a reduction of 20%.	<ul style="list-style-type: none"> <li>The driest possible future rainfall change during the transition period from NE to SW monsoon shows a reduction of 17%</li> </ul>		
		Median	-16.6	-144.7	726.7				
		Upper Bound	-3.8	-33.4	838.0	Minimal to no change			
		Lower Bound	-22.0	-191.3	680.1	The driest possible future rainfall change during the transition period from NE to SW monsoon shows a reduction of 22%			
		Median	-9.3	-81.3	790.1	Minimal to no change			

\* upper: 90th percentile; median: 50th percentile; lower: 10th percentile

## Observed Climate Trends and Projected Climate Change in the Philippines



**Figure A-1.** Projected change in seasonal total rainfall in the Eastern Samar for the mid-21st century (2036–2065) relative to the baseline period of 1971–2000. The wettest possible change represents the 90th percentile of the projections, 50th percentile or the median, and 10th percentile is driest possible change; these were computed from the 12-member high emission scenario (RCP8.5) RCM ensemble.




## Observed Climate Trends and Projected Climate Change in the Philippines

**Table A-2.** Accomplished CLIRAM of the projected seasonal mean temperature for Eastern Samar in the mid-21st century (2036–2065); baseline period: 19712000.

Season	Scenario	Range*	Projected Change			Information about patterns of change	Potential Impacts	Adaptation Option
			Col 2	Col 3	Col 4	Projected Seasonal Mean Temperature (°C)	Col 5	Col 6
December-January-February (DJF)	Moderate Emission (RCP 4.5)	Lower Bound Median Upper Bound	1.0 1.1 1.6	27.1 27.2 27.7	Col 4	Col 5	Col 6	Col 7
	High Emission (RCP 8.5)	Lower Bound Median Upper Bound	1.3 1.5 1.9	27.4 27.6 28.0	Col 4	Col 5	Col 6	Col 8
March-April-May (MAM)	Moderate Emission (RCP 4.5)	Lower Bound Median Upper Bound	1.0 1.2 1.7	28.7 28.9 29.4	Col 4	Col 5	Col 6	Col 7
	High Emission (RCP 8.5)	Lower Bound Median Upper Bound	1.4 1.6 2.1	29.1 29.3 29.8	Col 4	Col 5	Col 6	Col 8
June-July-August (JJA)	Moderate Emission (RCP 4.5)	Lower Bound Median Upper Bound	1.0 1.2 1.8	29.3 29.5 30.1	Col 4	Col 5	Col 6	Col 7
	High Emission (RCP 8.5)	Lower Bound Median Upper Bound	1.4 1.7 2.2	29.7 30.0 30.5	Col 4	Col 5	Col 6	Col 8
September-October-November (SON)	Moderate Emission (RCP 4.5)	Lower Bound Median Upper Bound	1.0 1.2 1.8	28.7 28.9 29.5	Col 4	Col 5	Col 6	Col 7
	High Emission (RCP 8.5)	Lower Bound Median Upper Bound	1.4 1.5 2.2	29.1 29.2 29.9	Col 4	Col 5	Col 6	Col 8

\* upper: 90th percentile; median: 50th percentile; lower: 10th percentile

## Observed Climate Trends and Projected Climate Change in the Philippines



**Figure A-2.** Projected change in seasonal mean temperature in the Eastern Samar for the mid-21st century (2036–2065) relative to the baseline period of 1971–2000. The upper bound of the range of change represents the 90th percentile of the projections, 50th percentile or the median, and 10th percentile is lower bound of the range of change; these were computed from the 12-member high emission scenario (RCP8.5) RCM ensemble.



## Observed Climate Trends and Projected Climate Change in the Philippines

# Appendix B

This section contains the summary of the seasonal values of total rainfall and mean temperature taken from the CLIRAM of each of the provinces in the Philippines. Note that currently there are no available climate projections for provinces of relatively small land areas since the resolution of most of the models are limited to 25 x 25 km.

**Table B-1.** CLIRAM of the projected seasonal change in total rainfall (in millimeters) in the mid-21st century (2036-2065) for all provinces; baseline period: 1971-2000.

Region	Province	Observed (1971-2000)				Projected (2036-2065)														
		DJF	MAM	JJA	SON	Scenario	Range*	DJF (Dec-Jan-Feb)	MAM (Mar-Apr-May)	JJA (Jun-Jul-Aug)	SON (Sep-Oct-Nov)	Percent change	Projected value							
Region 1	Ilocos Norte	49.8	185.5	1,106.4	595.4	Moderate Emission (RCP4.5)	Lower Bound	1.5	50.5	-15.6	156.5	-23.9	841.5	-18.9	483.1					
							Median	12.8	56.2	-2.7	180.4	-19.9	886.5	0.4	597.7					
							Upper Bound	32.2	65.8	22.4	227.1	10.4	1,221.0	29.8	772.7					
						High Emission (RCP8.5)	Lower Bound	-2.8	48.4	-25.9	137.5	-15.9	930.9	-14.9	506.6					
							Median	9.6	54.6	-8.1	170.5	-10.1	995.1	-2.2	582.5					
							Upper Bound	24.5	62.0	17.1	217.2	17.3	1,298.2	29.5	770.9					
	Ilocos Sur	17.5	288.8	1,575.4	672.9	Moderate Emission (RCP4.5)	Lower Bound	-11.8	15.4	-10.3	259.2	-14.3	1,350.5	-19.1	544.3					
							Median	-2.7	17.0	-4.9	274.6	3.5	1,630.5	-5.2	637.6					
							Upper Bound	51.6	26.5	18.6	342.4	7.9	1,699.2	14.8	772.6					
						High Emission (RCP8.5)	Lower Bound	-23.6	13.4	-21.7	226.0	-12.5	1,378.6	-11.3	596.9					
							Median	-0.2	17.5	-3.2	279.7	1.3	1,596.5	0.0	672.9					
							Upper Bound	25.4	21.9	25.6	362.7	19.1	1,876.8	12.7	758.5					
CAR	La Union	14.7	395.6	1,852.3	837.8	Moderate Emission (RCP4.5)	Lower Bound	-0.1	14.7	-10.3	354.7	-13.9	1,594.9	-15.7	706.3					
							Median	9.1	16.0	-2.6	385.3	5.2	1,949.1	4.7	877.5					
							Upper Bound	45.4	21.4	16.4	460.5	9.3	2,025.0	13.3	949.5					
						High Emission (RCP8.5)	Lower Bound	-22.6	11.4	-20.4	314.8	-8.8	1,689.2	-17.3	693.2					
							Median	14.8	16.9	-2.9	384.2	2.0	1,889.9	3.7	868.4					
							Upper Bound	46.3	21.5	24.8	493.6	25.8	2,329.4	24.6	1,043.9					
	Pangasinan	19.4	298.0	1,608.9	707.8	Moderate Emission (RCP4.5)	Lower Bound	4.8	20.3	-3.4	287.8	-22.3	1,249.5	-16.3	592.8					
							Median	10.8	21.5	-1.3	294.2	-13.3	1,395.0	-0.6	703.3					
							Upper Bound	41.6	27.5	17.7	350.7	1.6	1,634.3	13.5	803.5					
						High Emission (RCP8.5)	Lower Bound	-8.9	17.7	-9.7	269.2	-16.8	1,338.4	-3.7	681.7					
							Median	9.6	21.3	0.6	299.8	-3.3	1,556.4	0.9	713.9					
							Upper Bound	55.7	30.2	27.5	379.9	9.9	1,767.8	17.7	832.8					
CAR	Abra	43.5	220.6	1,218.9	634.4	Moderate Emission (RCP4.5)	Lower Bound	3.9	45.2	-16.3	184.7	-28.6	870.4	-23.4	485.7					
							Median	7.7	46.9	-4.4	210.8	-14.5	1,042.7	-4.3	607.3					
							Upper Bound	36.2	59.2	14.8	253.3	3.9	1,266.3	13.3	719.1					
						High Emission (RCP8.5)	Lower Bound	2.0	44.4	-23.4	168.9	-23.5	932.7	-14.0	545.9					
							Median	10.3	48.0	-8.2	202.6	-9.4	1,104.8	-5.8	597.9					
							Upper Bound	19.2	51.9	16.8	257.7	14.7	1,397.7	18.3	750.4					
	Apayao	144.6	184.0	822.7	720.1	Moderate Emission (RCP4.5)	Lower Bound	1.7	147.1	-7.2	170.8	-33.1	550.2	-12.3	631.3					
							Median	7.6	155.5	1.8	187.3	-21.6	645.4	5.5	759.9					
							Upper Bound	38.4	200.1	25.7	231.2	8.7	894.3	15.8	833.9					
						High Emission (RCP8.5)	Lower Bound	-2.2	141.4	-14.8	156.7	-31.2	565.8	-11.4	638.2					
							Median	9.3	158.1	1.7	187.0	-1.9	807.4	4.3	750.9					
							Upper Bound	27.4	184.2	26.8	233.2	15.6	951.0	15.6	832.7					
CAR	Benguet	47.7	422.3	1,734.9	931.8	Moderate Emission (RCP4.5)	Lower Bound	6.5	50.8	-11.0	376.0	-24.6	1,308.3	-24.8	700.5					
							Median	9.7	52.3	-3.3	408.4	-15.4	1,467.9	-6.1	875.0					
							Upper Bound	35.6	64.7	27.0	536.2	5.9	1,836.6	15.6	1,077.1					
						High Emission (RCP8.5)	Lower Bound	-10.7	42.6	-14.2	362.5	-24.3	1,312.8	-16.1	782.0					
							Median	5.1	50.1	-5.5	399.2	-10.8	1,548.4	-5.2	882.9					
							Upper Bound	38.0	65.8	34.5	567.9	18.5	2,055.2	26.3	1,176.5					
	Ifugao	102.6	321.0	1,071.1	724.9	Moderate Emission (RCP4.5)	Lower Bound	4.8	107.6	-7.2	297.8	-35.8	687.1	-14.6	619.1					
							Median	7.4	110.2	-0.5	319.3	-16.4	895.7	-8.1	666.1					
							Upper Bound	29.8	133.1	18.3	379.6	2.4	1,096.5	1.9	738.6					
						High Emission (RCP8.5)	Lower Bound	-5.2	97.3	-8.1	294.9	-27.8	773.0	-8.9	660.1					
							Median	7.9	110.7	1.3	325.0	-2.0	1,049.2	0.0	724.9					
							Upper Bound	33.5	137.0	30.5	419.1	13.6	1,217.2	11.6	809.3					
CAR	Kalinga	92.3	228.0	892.3	691.9	Moderate Emission (RCP4.5)	Lower Bound	4.8	96.7	-3.7	219.6	-36.5	567.0	-13.8	596.7					
							Median	7.3	99.0	3.3	235.6	-20.6	708.2	-5.0	657.3					
							Upper Bound	27.0	117.2	17.8	268.6	3.9	927.5	6.8	738.8					
						High Emission (RCP8.5)	Lower Bound	-4.1	88.5	-12.6	199.4	-27.7	645.4	-10.5	619.6					
							Median	9.7	101.3	0.2	228.4	-7.9	821.9	-0.4	688.9					
							Upper Bound	22.6	113.2	24.0	282.7	9.9	981.1	11.6	772.1					
	Mountain Province	74.8	286.8	1,121.1	699.2	Moderate Emission (RCP4.5)	Lower Bound	3.9	77.7	-7.9	264.1	-21.0	885.3	-18.0	573.1					
							Median	10.5	82.6	-2.7	278.9	-14.8	955.6	-8.9	636.8					
							Upper Bound	28.8	96.3	16.3	333.6	3.8	1,163.9	6.2	742.5					
						High Emission (RCP8.5)	Lower Bound	-5.8	70.5	-15.										

# Observed Climate Trends and Projected Climate Change in the Philippines

**Table B-1.** CLIRAM of the projected seasonal change in total rainfall (in millimeters) in the mid-21st century (2036-2065) for all provinces; baseline period: 1971-2000 (*cont.*).

Region	Province	Observed (1971-2000)				Projected (2036-2065)									
		DJF	MAM	JJA	SON	Scenario	Range*	DJF (Dec-Jan-Feb)		MAM (Mar-Apr-May)		JJA (Jun-Jul-Aug)			
								Percent change	Projected value	Percent change	Projected value	Percent change	Projected value		
Region 2	Cagayan	284.4	207.7	538.4	832.1	Moderate Emission (RCP4.5)	Lower Bound	-0.5	282.9	-8.2	190.7	-23.6	411.1	-6.5	778.4
						Median	7.4	305.4	2.3	212.5	-18.2	440.3	3.7	863.2	
						Upper Bound	43.1	407.0	16.2	241.3	1.8	548.3	17.9	981.2	
					867.0	High Emission (RCP8.5)	Lower Bound	-5.8	267.8	-15.2	176.1	-24.2	408.1	-5.8	783.7
						Median	7.9	306.8	3.3	214.6	-2.2	526.7	1.3	842.9	
						Upper Bound	26.6	359.9	16.8	242.6	17.4	632.2	17.8	980.1	
	Isabela	412.2	325.0	530.8	867.0	Moderate Emission (RCP4.5)	Lower Bound	3.5	426.4	1.1	328.7	-27.7	383.6	-4.4	829.0
						Median	11.5	459.7	10.3	358.5	-17.2	439.7	3.0	892.9	
						Upper Bound	48.4	611.7	23.5	401.3	0.3	532.4	11.9	970.1	
					880.5	High Emission (RCP8.5)	Lower Bound	-1.5	405.9	-6.1	305.3	-24.2	402.5	-2.3	847.1
						Median	12.4	463.5	7.0	347.9	-2.6	516.8	11.0	962.7	
Region 3	Nueva Vizcaya	180.9	416.8	1,149.8	957.9	Moderate Emission (RCP4.5)	Lower Bound	34.8	555.5	17.3	381.4	25.7	667.1	16.2	1,007.2
						Median	6.3	192.2	-0.1	416.2	-27.4	835.2	-14.9	749.5	
						Upper Bound	40.2	253.6	29.1	538.2	-4.1	1,103.2	6.9	941.2	
					957.9	High Emission (RCP8.5)	Lower Bound	-2.3	176.7	-6.5	389.5	-22.2	894.7	-8.6	804.5
						Median	8.6	196.5	1.4	422.6	-2.9	1,116.5	1.6	894.2	
						Upper Bound	39.9	253.2	30.9	545.4	12.7	1,295.9	17.7	1,036.7	
	Quirino	419.0	465.9	776.4	957.9	Moderate Emission (RCP4.5)	Lower Bound	4.4	437.4	0.9	470.0	-27.3	564.8	-13.9	824.9
						Median	11.4	466.6	9.0	507.9	-15.8	967.9	-5.5	832.2	
						Upper Bound	57.3	659.0	31.7	613.5	-5.7	732.2	10.4	1,057.5	
					957.9	High Emission (RCP8.5)	Lower Bound	-3.1	406.2	-8.5	426.1	-21.9	606.6	-10.6	856.4
						Median	9.4	458.3	1.5	473.0	-1.0	769.0	3.2	988.9	
Region 4	Aurora	615.7	546.4	768.7	1,151.1	Moderate Emission (RCP4.5)	Lower Bound	52.1	637.4	26.5	589.6	17.7	913.9	17.5	1,125.3
						Median	1.5	624.7	1.6	555.0	-21.7	601.8	-9.7	1,039.6	
						Upper Bound	8.5	667.9	6.8	583.7	-8.6	702.7	-2.4	1,123.8	
						High Emission (RCP8.5)	Lower Bound	52.0	936.0	22.5	669.2	-6.8	716.2	5.3	1,211.6
						Median	-6.1	578.2	-10.2	490.8	-16.6	641.1	-5.0	1,093.9	
					1,151.1	High Emission (RCP8.5)	Median	3.0	633.9	4.6	571.6	-3.4	742.6	2.8	1,183.6
						Upper Bound	31.8	811.7	19.0	650.0	10.2	847.1	11.1	1,278.6	
						Lower Bound	1.0	72.4	-3.3	356.7	-25.5	988.1	-10.0	785.0	
						Median	12.7	80.8	12.2	413.7	-17.7	1,091.1	-1.9	856.0	
						Upper Bound	59.2	114.2	18.7	437.8	-1.0	1,313.3	9.3	953.6	
Region 5	Batangas	71.7	368.7	1,326.2	872.6	Moderate Emission (RCP4.5)	Lower Bound	-2.1	70.2	-9.7	333.0	-19.0	1,074.7	-6.2	818.6
						Median	20.2	86.2	4.6	385.6	-1.9	1,301.3	3.1	899.3	
						Upper Bound	38.2	99.1	25.3	461.9	12.4	1,490.1	18.3	1,032.1	
					842.1	High Emission (RCP8.5)	Lower Bound	-2.0	208.2	-6.8	269.1	-18.3	850.7	-9.2	764.5
						Median	15.4	245.1	3.3	298.4	-5.0	989.2	1.2	852.4	
						Upper Bound	48.1	314.5	22.9	355.1	9.6	1,141.7	18.3	995.9	
					842.1	Moderate Emission (RCP4.5)	Lower Bound	4.3	161.9	0.6	318.3	-20.0	795.5	-9.5	674.2
						Median	14.6	177.9	10.9	351.0	-16.4	832.2	-5.8	701.5	
						Upper Bound	55.0	240.6	24.1	392.7	0.9	1,004.0	16.6	868.5	
					745.0	High Emission (RCP8.5)	Lower Bound	-6.5	145.1	-6.9	294.7	-18.6	809.9	-10.8	664.5
						Median	10.7	171.8	3.8	328.6	-7.9	916.5	2.1	760.8	
Region 6	Nueva Ecija	155.2	316.5	995.0	745.0	Moderate Emission (RCP4.5)	Lower Bound	45.3	225.5	20.4	381.0	10.7	1,101.7	16.6	868.4
						Median	4.3	161.9	0.6	318.3	-20.0	795.5	-9.5	674.2	
						Upper Bound	14.6	177.9	10.9	351.0	-16.4	832.2	-5.8	701.5	
						High Emission (RCP8.5)	Lower Bound	55.0	240.6	24.1	392.7	0.9	1,004.0	16.6	868.5
						Median	-6.5	145.1	-6.9	294.7	-18.6	809.9	-10.8	664.5	
					785.2	High Emission (RCP8.5)	Median	10.7	171.8	3.8	328.6	-7.9	916.5	2.1	760.8
						Upper Bound	45.3	225.5	20.4	381.0	10.7	1,101.7	16.6	868.4	
						Lower Bound	4.9	126.8	4.0	333.5	-22.8	795.0	-8.0	722.5	
						Median	18.6	143.3	9.0	349.6	-12.3	903.3	-1.9	769.9	
						Upper Bound	75.8	212.4	19.7	383.9	4.8	1,080.2	7.2	841.9	
Region 7	Pampanga	120.8	320.6	1,030.4	785.2	Moderate Emission (RCP4.5)	Lower Bound	-4.4	115.5	-9.1	291.4	-12.0	907.0	-5.2	744.7
						Median	18.5	143.1	6.5	341.4	-0.8	1,022.4	-1.2	776.0	
						Upper Bound	80.7	218.3	18.5	380.1	10.0	1,133.6	23.8	971.9	
					644.3	High Emission (RCP8.5)	Lower Bound	3.3	44.8	3.2	273.8	-18.3	975.4	-8.3	591.0
						Median	7.9	46.8	8.1	287.0	-8.3	1,094.7	-4.7	613.9	
						Upper Bound	49.3	64.8	21.2	321.8	0.8	1,203.5	18.1	761.0	
					644.3	High Emission (RCP8.5)	Lower Bound	-5.7	40.9	-11.7	234.4	-15.9	1,004.1	-3.3	623.2
						Median	9.9	47.7	5.0	278.6	-5.1	1,133.0	1.8	655.8	
Region 8	Tarlac	43.4	265.4	1,193.5	644.3	Moderate Emission (RCP4.5)	Upper Bound	33.4	57.9	24.8	331.2	8.4	1,293.2	17.6	757.7
						Lower Bound	-1.5	40.3	-0.4	366.5	-22.6	1,389.0	-9.7	787.4	
						Median	11.3	45.5	7.4	395.3	-14.4	1,536.1	-2.5	850.3	
						Upper Bound	51.9	62.1	18.5	436.2	0.9	1,809.6	14.0	994.1	
					872.0	High Emission (RCP8.5)	Lower Bound	-5.9	38.5	-16.4	307.8	-16.5	1,497.3	-3.9	838.0
						Median	9.2	44.7	1.6	373.9	-4.7	1,710.1	4.6	911.9	
						Upper Bound	32.5	54.2	19.4	439.5	12.7	2,021.2	14.9	1,001.5	
						Lower Bound	-1.5	40.3	-0.4	366.5	-22.6	1,389.0	-9.7	787.4	
						Median	11.3	45.5	7.4	395.3	-14.4	1,536.1	-2.5	850.3	

\*percentile range of model projections: lower bound = 10<sup>th</sup> percentile, median = 50<sup>th</sup> percentile, upper bound = 90<sup>th</sup> percentile

## Observed Climate Trends and Projected Climate Change in the Philippines

**Table B-1.** CLIRAM of the projected seasonal change in total rainfall (in millimeters) in the mid-21st century (2036-2065) for all provinces; baseline period: 1971-2000 (*cont.*).

Region	Province	Observed (1971-2000)				Projected (2036-2065)									
		DJF	MAM	JJA	SON	Scenario	Range*	DJF (Dec-Jan-Feb)		MAM (Mar-Apr-May)		JJA (Jun-Jul-Aug)			
								Percent change	Projected value	Percent change	Projected value	Percent change	Projected value		
Region 4-A	Batangas	231.0	280.4	856.5	746.4	Moderate Emission (RCP4.5)	Lower Bound	7.5	248.2	-0.1	280.1	-27.7	619.4	-11.4	661.6
							Median	14.9	265.5	1.7	285.1	-15.2	726.1	-3.6	719.7
							Upper Bound	56.1	360.7	15.8	324.8	1.0	865.1	8.2	807.2
	Cavite	124.9	242.8	985.7	579.0	High Emission (RCP8.5)	Lower Bound	1.4	234.2	-11.4	248.3	-23.5	655.6	-9.7	673.7
							Median	8.1	249.8	0.5	281.8	-8.9	779.9	0.4	749.5
							Upper Bound	37.7	318.2	25.1	350.7	10.2	944.0	10.0	821.2
	Laguna	629.2	386.8	845.0	1,066.5	Moderate Emission (RCP4.5)	Lower Bound	8.6	135.6	0.6	244.3	-26.7	722.4	-7.7	534.3
							Median	12.5	140.5	6.9	259.6	-18.0	808.1	-4.1	555.4
							Upper Bound	55.7	194.5	17.9	286.2	9.4	1,078.6	6.7	618.0
	Quezon	827.7	382.7	670.0	1,229.3	High Emission (RCP8.5)	Lower Bound	7.8	134.7	-11.0	216.1	-22.8	760.8	-4.3	553.9
							Median	12.8	140.9	3.7	251.8	-10.4	883.2	0.9	584.2
							Upper Bound	35.9	169.7	33.1	323.1	11.7	1,100.6	10.3	638.9
Region 4-B	Rizal	262.4	241.5	1,001.3	821.8	Moderate Emission (RCP4.5)	Lower Bound	4.2	655.9	-2.1	378.5	-22.7	653.4	-9.0	970.3
							Median	10.2	693.2	12.6	435.4	-14.3	724.0	-5.8	1,004.7
							Upper Bound	43.9	905.2	24.8	482.6	-2.1	827.3	5.7	1,127.0
	Oriental Mindoro	159.5	265.9	1,091.2	762.6	High Emission (RCP8.5)	Lower Bound	2.3	643.7	-14.4	331.0	-20.9	668.8	-10.8	951.0
							Median	13.8	716.3	-0.1	386.3	-11.0	752.0	1.4	1,081.1
							Upper Bound	32.9	836.4	28.3	496.2	7.5	908.8	10.5	1,178.9
	Occidental Mindoro	260.3	269.3	894.3	791.2	Moderate Emission (RCP4.5)	Lower Bound	4.7	866.2	6.2	406.4	-22.0	522.4	-9.3	1,115.0
							Median	8.4	897.2	9.3	418.4	-17.2	554.9	1.6	1,249.0
							Upper Bound	31.6	1,089.2	18.9	455.1	5.3	705.8	7.6	1,322.5
	Palawan	101.8	189.3	781.7	640.6	High Emission (RCP8.5)	Lower Bound	-0.8	820.8	-4.5	365.6	-16.9	557.0	-7.0	1,143.2
							Median	13.9	942.6	7.3	410.6	-6.3	627.8	2.5	1,260.3
							Upper Bound	32.4	1,095.7	19.6	457.9	5.6	707.8	14.0	1,400.9
Region 5	Romblon	357.0	224.0	653.0	778.0	Moderate Emission (RCP4.5)	Lower Bound	0.0	262.4	-2.8	234.8	-27.3	728.0	-14.9	699.5
							Median	7.8	282.8	12.9	272.7	-20.0	800.7	-9.5	743.7
							Upper Bound	51.5	397.4	25.6	303.4	-1.7	983.9	12.7	926.5
	Alibey	739.8	386.9	705.8	941.3	High Emission (RCP8.5)	Lower Bound	3.6	271.8	-14.2	207.2	-25.4	747.4	-13.2	713.6
							Median	15.0	301.7	-1.1	238.8	-11.6	885.5	0.9	829.6
							Upper Bound	52.2	399.4	17.1	282.7	11.7	1,118.9	19.6	983.1
	Metro Manila	107.5	198.5	1,170.2	758.7	Moderate Emission (RCP4.5)	Lower Bound	-1.7	156.8	-5.0	252.6	-25.1	817.5	-19.5	613.8
							Median	13.2	180.6	2.6	272.8	-20.6	866.8	-3.0	740.0
							Upper Bound	52.3	242.9	12.7	299.6	3.6	1,130.2	4.2	794.3
	Occidental Mindoro	260.3	269.3	894.3	791.2	High Emission (RCP8.5)	Lower Bound	-1.4	157.3	-18.3	217.2	-28.1	784.2	-18.1	624.9
							Median	9.5	174.6	-3.3	257.2	-13.0	949.8	-3.6	735.1
							Upper Bound	25.9	200.7	23.3	327.9	11.6	1,217.6	7.9	822.5
	NCR	101.8	189.3	781.7	640.6	Moderate Emission (RCP4.5)	Lower Bound	0.0	260.2	3.6	279.1	-24.9	671.2	-17.3	654.6
							Median	10.8	288.5	5.6	284.3	-18.8	726.2	-7.7	729.9
							Upper Bound	31.9	343.3	12.3	302.5	-0.4	890.8	5.2	832.3
	Oriental Mindoro	260.3	269.3	894.3	791.2	High Emission (RCP8.5)	Lower Bound	-2.7	253.3	-9.5	243.7	-27.2	650.7	-13.9	681.2
							Median	13.9	296.6	5.7	284.6	-12.9	778.9	-6.8	737.5
							Upper Bound	27.9	332.8	9.2	294.1	9.5	979.6	4.9	829.8
	Occidental Mindoro	101.8	189.3	781.7	640.6	Moderate Emission (RCP4.5)	Lower Bound	-9.9	91.8	-10.6	169.2	-25.7	581.1	-14.3	548.7
							Median	0.0	101.8	-7.4	175.3	-12.0	688.2	-8.1	588.9
							Upper Bound	26.8	129.1	10.3	208.9	1.0	789.3	10.2	705.7
	Palawan	101.8	189.3	781.7	640.6	High Emission (RCP8.5)	Lower Bound	-17.8	83.6	-16.2	158.6	-25.0	586.2	-22.5	496.5
							Median	4.3	106.2	-3.6	182.4	-5.6	737.8	-6.2	601.0
							Upper Bound	14.2	116.3	9.2	206.7	12.9	882.5	11.1	711.5
	Rizal	262.4	241.5	1,001.3	821.8	Moderate Emission (RCP4.5)	Lower Bound	1.7	363.2	-5.2	212.3	-26.0	483.2	-13.3	674.8
							Median	10.6	395.0	5.0	235.2	-21.0	515.8	1.5	789.4
							Upper Bound	37.1	489.6	31.7	295.0	4.3	681.2	13.6	883.6
	Occidental Mindoro	260.3	269.3	894.3	791.2	High Emission (RCP8.5)	Lower Bound	-3.6	344.0	-15.8	188.5	-35.3	422.3	-25.6	578.5
							Median	10.8	395.5	6.4	238.4	-6.6	609.6	-4.6	742.3
							Upper Bound	26.0	449.7	23.7	277.1	15.1	751.5	20.5	937.4
	Palawan	101.8	189.3	781.7	640.6	Moderate Emission (RCP4.5)	Lower Bound	-0.1	107.3	0.7	199.8	-21.3	920.8	-10.8	676.4
							Median	17.7	126.5	6.9	212.2	-10.1	1,051.6	-6.0	713.5
							Upper Bound	55.5	167.1	25.7	246.9	-0.4	1,165.2	7.7	817.2
	Rizal	262.4	241.5	1,001.3	821.8	High Emission (RCP8.5)	Lower Bound	2.7	110.4	-7.2	184.2	-17.0	970.9	-8.0	698.1
							Median	27.8	137.4	4.8	208.1	-6.1	1,098.5	3.9	788.3
							Upper Bound	53.4	164.9	19.8	237.9	7.7	1,260.5	19.9	909.4
	Occidental Mindoro														

# Observed Climate Trends and Projected Climate Change in the Philippines

**Table B-1.** CLIRAM of the projected seasonal change in total rainfall (in millimeters) in the mid-21st century (2036-2065) for all provinces; baseline period: 1971-2000 (*cont.*).

Region	Province	Observed (1971-2000)				Scenario	Range*	Projected (2036-2065)								
		DJF	MAM	JJA	SON			DJF (Dec-Jan-Feb)		MAM (Mar-Apr-May)		JJA (Jun-Jul-Aug)				
								Percent change	Projected value	Percent change	Projected value	Percent change	Projected value			
Region 5	Camarines Norte	1,029.6	398.5	565.6	1,285.7	Moderate Emission (RCP4.5)	Lower Bound	2.2	1,051.9	6.8	425.4	-21.6	443.5	-17.1	1,066.2	
								7.9	1,111.0	11.7	445.0	-18.1	463.5	-1.3	1,269.3	
								35.4	1,394.0	14.3	455.4	3.7	586.4	7.5	1,381.5	
	Camarines Sur	666.8	347.4	639.6	1,029.4		Lower Bound	-1.9	1,009.9	-6.4	373.1	-21.6	443.3	-8.4	1,177.3	
								19.9	1,234.0	7.3	427.7	-7.5	523.4	0.4	1,291.0	
								31.0	1,348.5	18.9	473.7	8.6	614.1	14.9	1,477.7	
		Moderate Emission (RCP4.5)	Median	Upper Bound	37.7		Lower Bound	-0.7	662.3	2.1	354.6	-25.5	476.6	-14.3	882.7	
								13.3	755.3	5.5	366.5	-17.6	527.1	-2.5	1,003.8	
	Catanduanes	1,075.4	512.7	646.3	1,199.5		Upper Bound	37.7	918.4	15.6	401.6	1.0	645.8	2.9	1,059.1	
								17.1	780.9	6.8	371.1	-8.5	585.1	-0.2	1,027.3	
								27.8	852.0	15.8	402.5	11.3	712.2	6.2	1,092.9	
		High Emission (RCP8.5)	Median	Upper Bound	33.5		Lower Bound	-2.1	1,052.5	-0.9	507.9	-27.9	465.9	-9.8	1,081.4	
								15.0	1,237.1	4.5	535.5	-10.2	580.2	0.6	1,206.3	
Region 6	Masbate	510.2	250.7	569.4	739.3	Moderate Emission (RCP4.5)	Lower Bound	0.5	1,080.8	-1.7	504.2	-30.3	450.3	-17.6	988.9	
								15.0	1,237.1	4.5	535.5	-10.2	580.2	0.6	1,206.3	
								28.6	1,383.1	19.9	615.0	7.9	697.2	9.7	1,315.7	
		High Emission (RCP8.5)	Median	Upper Bound	40.7		Lower Bound	3.6	528.6	0.9	253.0	-18.5	463.8	-11.0	658.1	
								11.1	566.8	7.1	268.4	-7.3	527.7	-3.8	711.0	
	Sorsogon	958.1	427.9	660.4	973.6		Upper Bound	28.8	656.9	17.1	293.7	6.9	608.6	16.3	859.5	
								1.3	970.8	-0.2	427.2	-20.7	524.0	-5.1	923.6	
								10.2	1,055.6	6.9	457.6	-7.9	608.4	-1.8	956.6	
		High Emission (RCP8.5)	Median	Upper Bound	31.6		Lower Bound	-2.2	936.6	4.5	447.1	-23.6	504.7	-14.4	833.0	
								13.1	1,083.4	7.3	459.0	-4.0	633.9	-1.2	962.2	
	Aklan	431.2	322.7	862.5	883.7		Upper Bound	36.0	1,303.0	18.3	506.3	5.8	699.0	9.4	1,065.4	
								0.3	429.9	-6.8	300.8	-22.0	672.5	-14.0	759.6	
								4.6	450.9	0.2	323.5	-10.5	771.9	-0.8	876.9	
		High Emission (RCP8.5)	Median	Upper Bound	29.7		Lower Bound	-6.2	404.5	-9.7	291.4	-20.3	687.0	-21.5	693.5	
								11.0	478.7	-3.4	311.6	-9.4	781.2	-4.8	841.2	
	Antique	297.9	288.0	995.3	841.4		Upper Bound	22.4	527.6	10.7	357.3	4.8	903.6	5.5	932.4	
								-11.9	262.5	-21.6	225.9	-32.2	675.2	-27.4	610.7	
								-2.1	291.6	-14.6	245.9	-10.5	890.8	-14.8	717.3	
		High Emission (RCP8.5)	Median	Upper Bound	34.2		Lower Bound	-20.3	237.3	-31.8	196.3	-38.0	617.3	-30.6	584.1	
								6.9	318.5	-13.0	250.7	-8.8	907.9	-8.6	768.9	
	Capiz	469.7	342.0	814.2	889.1		Upper Bound	20.3	358.3	4.3	300.4	9.0	1,085.1	2.2	859.6	
								3.0	483.7	-4.0	328.2	-17.8	669.4	-15.5	751.7	
								6.9	502.1	2.0	348.7	-6.9	757.7	-5.3	842.4	
		High Emission (RCP8.5)	Median	Upper Bound	33.9		Lower Bound	-2.7	457.0	-6.4	320.1	-18.2	665.9	-21.5	697.5	
								11.8	525.3	0.6	344.1	-9.6	735.8	-6.8	828.5	
	Guimaras	227.0	233.0	843.0	699.0		Upper Bound	25.7	590.4	12.9	386.2	8.0	879.4	5.4	937.4	
								4.7	237.8	-1.0	231.2	-14.6	720.7	-15.1	594.2	
								13.6	257.9	3.4	241.4	-6.6	788.2	-13.0	608.5	
		High Emission (RCP8.5)	Median	Upper Bound	24.6		Lower Bound	-4.2	217.5	-10.8	208.4	-18.7	686.0	-17.9	574.7	
								7.7	244.5	3.2	241.0	-3.9	810.8	-10.1	629.0	
	Iloilo	324.8	290.6	932.8	828.3		Upper Bound	27.9	290.5	18.0	275.5	14.0	961.5	9.3	764.5	
								-4.4	310.4	-9.3	263.4	-22.1	726.9	-20.0	662.6	
								6.5	346.0	4.0	302.1	-5.8	878.4	-11.2	735.9	
		High Emission (RCP8.5)	Median	Upper Bound	26.9		Lower Bound	412.1	11.7	324.5	7.1	998.6	7.9	894.1		
								8.7	353.2	-2.1	284.6	-4.0	895.0	-11.1	736.4	
	Negros Occidental	234.9	283.0	899.6	784.0		Upper Bound	28.3	416.8	9.5	318.2	10.3	1,028.6	3.4	856.2	
								-12.0	206.7	-12.7	247.1	-20.6	714.0	-21.5	615.3	
								1.8	239.1	0.1	283.2	-6.5	841.4	-14.3	671.7	
		High Emission (RCP8.5)	Median	Upper Bound	25.2		Lower Bound	294.1	11.0	314.0	3.1	927.4	1.5	795.5		
								6.6	250.3	-7.0	263.3	-5.2	853.1	-13.7	676.6	
		Upper Bound	30.0	305.3	784.0			2.8	290.9	5.9	952.3	1.2	793.4			

\*percentile range of model projections: lower bound = 10<sup>th</sup> percentile, median = 50<sup>th</sup> percentile, upper bound = 90<sup>th</sup> percentile

## Observed Climate Trends and Projected Climate Change in the Philippines

**Table B-1.** CLIRAM of the projected seasonal change in total rainfall (in millimeters) in the mid-21st century (2036-2065) for all provinces; baseline period: 1971-2000 (*cont.*).

Region	Province	Observed (1971-2000)				Scenario	Range*	Projected (2036-2065)									
		DJF	MAM	JJA	SON			DJF (Dec-Jan-Feb)		MAM (Mar-Apr-May)		JJA (Jun-Jul-Aug)		SON (Sep-Oct-Nov)			
								Percent change	Projected value	Percent change	Projected value	Percent change	Projected value	Percent change	Projected value		
Region 7	Bohol	376.1	209.6	412.9	514.5	Moderate Emission (RCP4.5)	Lower Bound	-13.5	325.3	-2.4	204.5	-16.8	343.5	-21.2	405.7		
							Median	3.0	387.5	3.9	217.7	-6.5	386.1	-12.2	451.9		
							Upper Bound	29.7	487.8	11.9	234.5	13.8	470.1	4.8	539.1		
	Cebu	324.0	228.3	595.1	607.4		Lower Bound	-17.1	311.9	-6.7	195.5	-22.1	321.7	-27.9	370.8		
							Median	1.5	381.8	1.8	213.3	-2.3	403.3	-12.3	451.4		
							Upper Bound	21.5	457.1	8.5	227.5	13.4	468.2	6.3	546.8		
	Negros Oriental	225.8	226.0	639.5	636.9		Lower Bound	-7.1	301.1	-3.7	219.8	-12.4	521.3	-17.7	499.9		
							Median	3.9	336.6	6.6	243.4	-4.9	565.7	-6.0	570.7		
							Upper Bound	31.7	426.9	9.2	249.4	1.0	601.2	1.5	616.4		
	Eastern Samar	987.0	464.1	559.8	871.4		Lower Bound	-15.4	274.1	-3.2	221.1	-15.8	501.1	-21.3	478.0		
							Median	6.2	344.1	2.1	233.1	-5.4	562.8	-11.5	537.5		
							Upper Bound	22.4	396.7	10.2	251.5	3.6	616.6	2.7	623.5		
Region 8	Leyte	689.5	342.0	568.7	725.5		Lower Bound	-12.6	197.4	-8.5	206.8	-20.4	509.3	-18.2	520.8		
							Median	2.3	231.0	-4.1	216.8	-7.8	589.5	-14.1	547.3		
							Upper Bound	23.5	278.9	8.4	245.1	8.6	694.2	-1.6	626.8		
	Northern Samar	1,128.9	462.2	566.8	981.4		Lower Bound	-14.9	192.2	-22.7	174.6	-20.8	506.4	-26.4	468.8		
							Median	4.1	235.1	-7.0	210.2	-1.2	632.0	-14.5	544.7		
							Upper Bound	20.2	271.4	7.3	242.5	7.6	688.1	3.8	661.2		
	Samar	889.5	437.0	599.8	879.4		Lower Bound	-4.2	945.9	-2.6	452.0	-6.7	522.3	-20.1	696.5		
							Median	1.3	999.5	1.8	472.3	-1.1	553.8	-16.6	726.7		
							Upper Bound	45.0	1,431.4	17.4	544.9	8.3	606.2	-3.8	838.0		
	Southern Leyte	818.6	362.2	510.6	695.6		Lower Bound	-7.9	909.2	5.8	490.9	-14.0	481.5	-22.0	680.1		
							Median	13.7	1,122.2	1.1	469.4	-0.6	556.6	-9.3	790.1		
							Upper Bound	43.6	1,417.8	13.0	524.4	9.7	614.4	4.7	912.1		
Region 9	Zamboanga del Norte	324.5	279.7	599.1	718.1		Lower Bound	-7.5	637.6	-5.4	323.4	-18.5	463.6	-24.3	549.3		
							Median	0.4	692.5	10.3	377.3	-1.1	562.3	-15.5	612.9		
							Upper Bound	35.2	931.9	12.0	382.9	8.1	614.7	1.0	733.0		
	Zamboanga del Sur	294.5	298.7	593.8	663.2		Lower Bound	-15.2	584.9	-7.0	318.0	-19.8	456.0	-26.4	534.0		
							Median	9.2	752.9	-1.2	338.0	-3.5	548.7	-9.8	654.7		
							Upper Bound	31.9	909.8	4.4	357.1	6.6	606.2	6.5	772.6		
	Zamboanga Sibugay	284.1	290.5	597.2	674.1		Lower Bound	-2.2	1,154.1	-0.7	458.8	-14.9	482.4	-14.4	839.7		
							Median	7.2	1,210.4	2.2	472.5	-7.3	525.6	-8.4	898.8		
							Upper Bound	45.5	1,642.0	18.3	546.7	3.4	586.1	3.7	1,017.5		
	Zamboanga del Sur	294.5	298.7	593.8	663.2		Lower Bound	-4.8	1,074.2	0.0	462.1	-19.5	456.5	-21.1	774.8		
							Median	14.8	1,295.8	3.5	478.5	-4.0	544.3	-3.2	949.7		
							Upper Bound	43.0	1,614.8	13.4	524.0	6.3	602.7	7.3	1,052.7		
	Zamboanga del Sur	294.5	298.7	593.8	663.2		Lower Bound	-4.8	846.4	-4.7	416.7	-18.9	486.4	-18.8	713.7		
							Median	4.1	926.4	5.5	461.0	-8.1	551.0	-10.9	783.4		
							Upper Bound	45.8	1,297.0	20.6	526.9	7.5	644.5	1.9	896.2		
	Zamboanga del Sur	294.5	298.7	593.8	663.2		Lower Bound	-10.5	796.3	-3.0	423.9	-23.8	457.3	-21.9	687.2		
							Median	8.3	963.2	-0.4	435.2	-3.2	580.3	-5.5	831.0		
							Upper Bound	34.4	1,195.6	10.2	481.7	6.6	639.5	2.2	898.9		
	Zamboanga del Sur	294.5	298.7	593.8	663.2		Lower Bound	-10.2	735.4	-3.1	350.9	-16.9	424.1	-20.2	555.1		
							Median	-2.7	796.5	4.5	378.6	-3.4	493.5	-10.6	622.1		
							Upper Bound	27.2	1,041.4	10.4	399.9	7.8	550.2	3.3	718.8		
	Zamboanga del Sur	294.5	298.7	593.8	663.2		Lower Bound	-12.9	712.8	-3.7	348.7	-10.4	457.3	-25.6	517.4		
							Median	13.3	927.4	2.9	372.8	-3.4	493.4	-11.0	619.4		
							Upper Bound	35.8	1,111.8	14.2	413.7	12.2	573.1	9.5	761.9		
	Zamboanga del Sur	294.5	298.7	593.8	663.2		Lower Bound	-14.9	276.1	-19.2	226.0	-10.3	537.3	-21.1	566.3		
							Median	-3.7	312.5	-8.5	255.9	-2.0	587.2	-4.4	686.6		
							Upper Bound	25.4	407.0	6.2	297.0	14.9	688.1	6.6	765.3		
	Zamboanga del Sur	294.5	298.7	593.8	663.2		Lower Bound	-12.4	284.2	-16.1	234.8	-10.4	537.0	-18.7	583.9		
							Median	1.9	330.6	-2.5	272.8	4.9	628.6	-0.5	714.2		
							Upper Bound	13.8	369.3	8.1	302.5	12.2	672.0	10.8	795.4		
	Zamboanga del Sur	294.5	298.7	593.8	663.2		Lower Bound	-8.2	270.4	-20.2	238.5	-11.9	523.0	-23.6	506.6		
							Median	-4.1	282.4	-7.6	275.9	-2.5	579.2	-6.0	623.4		
							Upper Bound	23.1	362.6	6.8	319.0	9.4	649.5	8.8	721.7		
	Zamboanga del Sur	294.5	298.7	593.8	663.2		Lower Bound	-18.1	241.3	-8.2	274.2	-11.8	523.9	-13.3	574.7		
							Median	4.4	307.6	-3.3	288.9	2.0	605.5	-0.6	659.0		
							Upper Bound	12.3	319.1	7.0	310.9	8.3	646.9	3.3	696.1		
	Zamboanga del Sur	294.5	298.7	593.8	663.2												

# Observed Climate Trends and Projected Climate Change in the Philippines

**Table B-1.** CLIRAM of the projected seasonal change in total rainfall (in millimeters) in the mid-21st century (2036-2065) for all provinces; baseline period: 1971-2000 (*cont.*).

Region	Province	Observed (1971-2000)				Scenario	Range*	Projected (2036-2065)									
		DJF	MAM	JJA	SON			DJF (Dec-Jan-Feb)		MAM (Mar-Apr-May)		JJA (Jun-Jul-Aug)		SON (Sep-Oct-Nov)			
								Percent change	Projected value	Percent change	Projected value	Percent change	Projected value	Percent change	Projected value		
Region 10	Bukidnon	329.7	335.6	653.8	559.5	Moderate Emission (RCP4.5)	Lower Bound	-18.9	267.4	-21.0	265.0	-27.3	475.4	-41.1	329.8		
	Lanao del Norte							-3.2	319.2	-9.7	303.1	-16.3	547.4	-26.5	411.2		
	Misamis Occidental							17.3	386.8	12.8	378.5	12.6	736.5	-7.7	516.2		
	Misamis Oriental	337.5	350.3	662.5	621.1		Lower Bound	-18.4	269.1	-14.5	287.0	-19.6	525.9	-22.4	434.1		
	Davao Oriental							-7.4	305.3	-6.7	313.1	-4.4	625.1	-10.9	498.6		
	Davao del Sur							25.7	414.4	5.4	353.6	17.0	765.0	10.1	616.0		
	Compostela Valley	392.1	323.4	633.1	728.3		Lower Bound	-9.5	305.4	-22.9	270.1	-8.5	606.4	-30.5	431.9		
	Davao Occidental							-2.4	329.3	-7.5	324.2	-1.8	650.5	-8.4	569.0		
	North Cotabato							21.4	409.6	87.3	656.2	69.4	1,122.0	61.4	1,002.2		
Region 11	High Emission (RCP8.5)	442.5	296.0	615.7	581.1		Lower Bound	-10.0	303.6	-16.0	294.3	-10.0	596.5	-15.4	525.4		
	Maguindanao							1.3	342.0	1.2	354.4	1.9	675.0	-2.3	606.9		
	Sarangani							13.2	382.0	27.6	447.1	19.7	793.0	9.8	682.2		
	Mindanao Central	748.1	559.0	546.7	586.6		Lower Bound	-5.5	370.3	-11.0	288.0	-11.8	558.1	-19.8	583.8		
	Surigao del Sur							1.1	396.2	-5.6	305.2	3.5	655.2	-1.4	718.2		
	Surigao del Norte							42.3	557.8	10.1	356.1	16.8	739.6	14.7	835.6		
	High Emission (RCP8.5)	637.0	496.5	535.6	556.2		Lower Bound	-6.6	366.2	-7.2	300.1	-8.1	581.5	-6.4	681.4		
	Agusan del Sur							8.2	424.2	3.6	335.0	3.2	653.1	-1.0	720.9		
	Agusan del Norte							27.9	501.4	14.9	371.6	21.1	766.7	9.0	794.0		
Region 12	Mindanao South	288.1	347.1	494.1	442.3		Lower Bound	-21.4	347.6	-19.1	239.5	-22.2	478.8	-37.3	364.6		
	Cebu							-6.8	412.3	-6.4	277.1	-14.1	529.0	-21.2	457.8		
	Bohol							37.0	606.4	7.1	317.0	8.5	668.0	-0.7	576.8		
	High Emission (RCP8.5)	827.3	611.8	540.4	599.2		Lower Bound	-27.2	322.0	-20.0	236.7	-15.9	518.0	-33.2	387.9		
	Camiguin							-0.7	439.3	-5.6	279.4	-2.8	598.2	-10.9	517.6		
	Capiz							28.1	567.0	2.8	304.3	14.6	705.9	16.7	678.4		
	High Emission (RCP8.5)	827.3	611.8	540.4	599.2		Lower Bound	-21.2	589.4	-17.8	459.8	-32.6	368.7	-37.5	366.6		
	Albay							-12.2	657.0	-8.6	511.0	-12.8	476.7	-22.7	453.3		
	Quezon							25.0	935.2	16.4	650.9	6.3	581.1	-4.7	558.8		
Region 13	High Emission (RCP8.5)	827.3	611.8	540.4	599.2		Lower Bound	-23.8	570.1	-13.5	483.4	-22.6	423.1	-33.9	388.0		
	Marinduque							-8.5	684.2	-5.1	530.3	-3.8	525.7	-4.2	561.9		
	High Emission (RCP8.5)	827.3	611.8	540.4	599.2		Upper Bound	15.3	862.9	8.4	606.1	16.4	636.1	7.6	631.3		
	High Emission (RCP8.5)	827.3	611.8	540.4	599.2		Lower Bound	-14.4	545.1	-12.6	434.1	-22.1	417.5	-29.6	391.7		
	High Emission (RCP8.5)	827.3	611.8	540.4	599.2		Lower Bound	-3.3	616.1	-4.6	473.4	-9.4	485.1	-20.4	442.8		
	High Emission (RCP8.5)	827.3	611.8	540.4	599.2		Upper Bound	20.3	766.6	8.9	540.8	6.2	568.6	-7.2	516.0		
	High Emission (RCP8.5)	827.3	611.8	540.4	599.2		Lower Bound	-11.7	562.3	-10.6	443.9	-12.6	467.9	-22.3	432.4		
Region 14	High Emission (RCP8.5)	235.4	353.2	572.5	486.0		Median	-2.1	623.6	-2.4	484.5	-2.8	520.4	-11.0	495.2		
	High Emission (RCP8.5)	235.4	353.2	572.5	486.0		Upper Bound	24.2	791.3	11.6	553.9	13.0	605.5	10.5	614.5		
	High Emission (RCP8.5)	235.4	353.2	572.5	486.0		Lower Bound	-14.2	247.3	-8.8	316.7	-14.0	424.8	-24.1	335.9		
	High Emission (RCP8.5)	235.4	353.2	572.5	486.0		Median	-3.6	277.9	-4.1	332.9	-1.8	485.3	-14.5	378.1		
	High Emission (RCP8.5)	235.4	353.2	572.5	486.0		Upper Bound	16.0	334.3	15.4	400.5	8.4	535.4	-3.7	425.8		
	High Emission (RCP8.5)	235.4	353.2	572.5	486.0		Lower Bound	-8.4	263.9	-6.4	325.0	-7.1	459.2	-14.4	378.5		
Region 15	High Emission (RCP8.5)	212.3	212.6	333.6	302.5		Median	-0.9	285.6	2.1	354.2	4.4	515.6	-10.1	397.8		
	High Emission (RCP8.5)	212.3	212.6	333.6	302.5		Upper Bound	16.0	334.2	15.4	400.4	18.3	584.4	8.2	478.4		
	High Emission (RCP8.5)	212.3	212.6	333.6	302.5		Lower Bound	-14.1	710.3	-3.1	593.1	-24.8	406.5	-20.5	476.4		
	High Emission (RCP8.5)	212.3	212.6	333.6	302.5		Median	5.3	870.8	4.9	641.6	-1.8	530.4	-7.5	554.5		
	High Emission (RCP8.5)	212.3	212.6	333.6	302.5		Upper Bound	14.7	949.3	8.7	665.1	35.0	729.6	12.2	672.6		
	High Emission (RCP8.5)	212.3	212.6	333.6	302.5		Lower Bound	-6.2	776.1	-7.6	565.4	-19.3	436.3	-21.2	472.3		
Region 16	High Emission (RCP8.5)	212.3	212.6	333.6	302.5		Median	3.6	857.2	2.0	623.8	3.1	557.4	-2.5	584.5		
	High Emission (RCP8.5)	212.3	212.6	333.6	302.5		Upper Bound	17.2	969.5	10.5	676.0	22.7	663.1	9.3	655.1		
	High Emission (RCP8.5)	212.3	212.6	333.6	302.5		Lower Bound	-13.4	716.5	-8.3	561.2	-21.7	423.0	-27.8	432.5		
	High Emission (RCP8.5)	212.3	212.6	333.6	302.5		Median	-8.7	755.5	-3.3	591.7	-5.4	511.2	-13.7	517.4		
	High Emission (RCP8.5)	212.3	212.6	333.6	302.5		Upper Bound	20.8	999.4	8.1	661.4	3.6	560.1	-3.8	576.2		
	High Emission (RCP8.5)	212.3	212.6	333.6	302.5		Lower Bound	-17.6	681.4	-10.1	549.9	-12.8	471.2	-23.6	457.9		
Region 17	High Emission (RCP8.5)	212.3	212.6	333.6	302.5		Median	-2.8	803.8	-1.9	599.9	-5.1	513.0	-6.0	563.0		
	High Emission (RCP8.5)	212.3	212.6	333.6	302.5		Upper Bound	18.7	982.0	8.1	661.6	13.4	612.7	6.6	638.5		
	High Emission (RCP8.5)	212															



## Observed Climate Trends and Projected Climate Change in the Philippines

**Table B-1.** CLIRAM of the projected seasonal change in total rainfall (in millimeters) in the mid-21st century (2036-2065) for all provinces; baseline period: 1971-2000 (*cont.*).

Region	Province	Observed (1971-2000)				Scenario	Range*	Projected (2036-2065)								
		DJF	MAM	JJA	SON			DJF (Dec-Jan-Feb)		MAM (Mar-Apr-May)		JJA (Jun-Jul-Aug)				
								Percent change	Projected value	Percent change	Projected value	Percent change	Projected value			
Region 12	South Cotabato	183.3	234.1	402.8	351.7	Moderate Emission (RCP4.5)	Lower Bound	-27.3	133.2	-12.9	204.0	-21.6	315.9	-41.4	206.2	
								-8.0	168.7	-7.8	215.8	3.3	416.2	-9.3	318.9	
								14.6	210.0	26.1	295.2	40.0	564.0	4.7	368.3	
		189.3	311.0	513.1	448.7		High Emission (RCP8.5)	-20.7	145.3	-9.7	211.3	-16.1	337.9	-23.2	270.1	
								-2.7	178.3	0.1	234.3	1.2	407.6	-3.8	338.4	
								13.9	208.8	6.5	249.4	44.2	580.7	7.6	378.5	
CARAGA	Sultan Kudarat	875.7	441.9	460.0	628.9	Moderate Emission (RCP4.5)	Lower Bound	-24.0	143.8	-19.2	251.2	-15.7	432.5	-33.8	297.2	
								-10.2	170.0	2.7	319.5	1.1	518.7	-8.6	410.0	
								10.7	209.6	19.5	371.6	21.6	624.0	3.3	463.5	
		High Emission (RCP8.5)	889.3	448.7	628.9		Lower Bound	-22.3	147.1	-8.2	285.5	-17.6	422.9	-21.7	351.3	
								-5.2	179.5	2.6	319.0	1.9	522.6	-3.6	432.6	
								12.7	213.3	13.8	353.8	36.1	698.5	5.8	474.9	
ARMM	Agusan del Norte	875.7	441.9	460.0	628.9	Moderate Emission (RCP4.5)	Lower Bound	-20.3	698.0	-25.3	330.2	-28.6	328.4	-30.4	437.8	
								-9.8	790.2	-14.2	379.4	-11.4	407.3	-21.2	495.5	
								31.4	1,150.8	8.3	478.6	1.9	468.7	-1.3	620.6	
		High Emission (RCP8.5)	889.3	448.7	628.9		Lower Bound	-27.0	639.3	-27.5	320.2	-15.8	387.5	-30.7	435.5	
								0.5	880.2	-9.8	398.7	-10.3	412.8	-10.9	560.5	
								20.9	1,058.4	-2.3	431.7	17.6	540.8	8.1	679.6	
CARAGA	Agusan del Sur	963.3	586.4	593.4	694.8	Moderate Emission (RCP4.5)	Lower Bound	-17.7	793.0	-15.3	496.7	-22.2	461.7	-29.7	488.3	
								-13.2	835.7	-3.9	563.8	-12.5	518.9	-18.0	569.5	
								21.4	1,169.0	4.6	613.5	7.1	635.7	-3.2	672.5	
		High Emission (RCP8.5)	963.3	586.4	694.8		Lower Bound	-18.8	782.6	-12.2	514.9	-15.2	503.4	-24.6	524.1	
								-2.6	937.9	-6.2	550.2	-3.6	572.0	-10.8	619.8	
								26.3	1,216.8	8.7	637.2	8.4	643.0	9.9	763.5	
Region 12	Surigao del Norte	1,412.0	639.6	448.0	837.3	Moderate Emission (RCP4.5)	Lower Bound	-12.2	1,239.6	-6.2	600.2	-11.3	397.6	-19.0	678.6	
								0.6	1,420.3	3.6	662.7	-4.5	427.6	-14.1	719.6	
								34.9	1,904.3	9.3	699.4	7.1	479.7	8.1	905.4	
		High Emission (RCP8.5)	1,412.0	639.6	837.3		Lower Bound	-19.7	1,134.4	-6.2	599.7	-15.5	378.4	-22.6	648.4	
								11.1	1,569.2	-2.8	621.7	0.7	451.0	-11.2	743.6	
								38.9	1,960.6	10.8	709.0	13.1	506.8	15.1	963.5	
ARMM	Lanao del Sur	293.8	746.9	534.6	842.5	Moderate Emission (RCP4.5)	Lower Bound	-10.6	1,246.9	-12.9	650.4	-18.5	435.7	-23.2	647.4	
								-6.7	1,300.8	-1.7	734.4	-10.6	477.8	-16.9	700.1	
								27.8	1,781.9	5.6	789.1	-0.2	533.4	-1.0	833.9	
		High Emission (RCP8.5)	293.8	746.9	534.6		Lower Bound	-15.8	1,173.2	-8.2	685.3	-16.3	447.6	-27.8	608.5	
								4.7	1,460.2	-1.8	733.4	-6.4	500.1	-12.0	741.4	
								27.5	1,776.9	9.8	820.1	9.6	585.7	8.7	915.9	
ARMM	Maguindanao	225.3	399.1	635.3	553.6	Moderate Emission (RCP4.5)	Lower Bound	-22.0	229.2	-26.1	272.9	-15.0	562.4	-38.8	344.1	
								-3.1	284.6	-11.2	327.9	-8.9	602.5	-19.0	455.2	
								12.3	329.8	13.2	418.2	8.7	719.0	-4.5	537.0	
		High Emission (RCP8.5)	225.3	399.1	553.6		Lower Bound	-15.1	249.4	-6.3	346.1	-12.5	579.0	-20.3	447.8	
								-5.7	277.1	-0.4	368.0	-0.6	657.8	-9.0	511.8	
								12.5	330.6	25.4	463.4	17.3	775.8	7.4	603.8	
ARMM	Maguindanao	225.3	399.1	635.3	553.6	Moderate Emission (RCP4.5)	Lower Bound	-19.6	181.2	-13.1	346.7	-12.0	558.9	-22.3	430.2	
								-3.1	218.4	-4.4	381.4	-1.7	624.8	-10.6	494.7	
								6.9	240.8	22.5	488.8	14.3	726.1	3.9	575.1	
		High Emission (RCP8.5)	225.3	399.1	553.6		Lower Bound	-19.8	180.6	-0.3	398.1	-12.5	555.9	-15.9	465.3	
								-4.1	216.1	5.7	421.9	3.1	654.8	-1.4	545.6	
								13.9	256.6	29.6	517.3	8.4	688.9	5.9	586.2	

\*percentile range of model projections: lower bound = 10<sup>th</sup> percentile, median = 50<sup>th</sup> percentile, upper bound = 90<sup>th</sup> percentile

## Observed Climate Trends and Projected Climate Change in the Philippines

**Table B-2.** CLIRAM of the projected seasonal change in mean temperature (in degree Celsius) in the mid-21st century (2036-2065) for all provinces; baseline period: 1971-2000.

Region	Province	Observed (1971-2000)				Scenario	Range*	Projected (2036-2065)									
		DJF	MAM	JJA	SON			DJF (Dec-Jan-Feb)		MAM (Mar-Apr-May)		JJA (Jun-Jul-Aug)		SON (Sep-Oct-Nov)			
								Change	Projected value	Change	Projected value	Change	Projected value	Change	Projected value		
Region 1	Ilocos Norte	25.3	28.1	28.3	27.4	Moderate Emission (RCP4.5)	Lower Bound	0.9	26.2	0.9	29.0	1.0	29.3	1.0	28.4		
								1.2	26.5	1.2	29.3	1.3	29.6	1.1	28.5		
								1.6	26.9	1.7	29.8	1.8	30.1	1.8	29.2		
	Ilocos Sur	23.1	25.7	25.4	24.8	High Emission (RCP8.5)	Lower Bound	1.1	26.4	1.3	29.4	1.3	29.6	1.3	28.7		
								1.6	26.9	1.6	29.7	1.6	29.9	1.5	28.9		
								1.9	27.2	2.2	30.3	2.4	30.7	2.2	29.6		
	La Union	20.5	22.9	22.8	22.2	Moderate Emission (RCP4.5)	Lower Bound	1.1	24.2	1.0	26.7	1.0	26.4	1.0	25.8		
								1.3	24.4	1.3	27.0	1.3	26.7	1.1	25.9		
								1.9	25.0	1.8	27.5	1.8	27.2	1.9	26.7		
	Pangasinan	25.0	27.4	26.9	26.4	High Emission (RCP8.5)	Lower Bound	1.2	24.3	1.4	27.1	1.3	26.7	1.4	26.2		
								1.7	24.8	1.6	27.3	1.6	27.0	1.6	26.4		
								2.1	25.2	2.2	27.9	2.3	27.7	2.4	27.2		
CAR	Abra	24.5	27.4	27.2	26.4	Moderate Emission (RCP4.5)	Lower Bound	1.1	21.6	1.0	23.9	0.9	23.7	1.0	23.2		
								1.3	21.8	1.2	24.1	1.2	24.0	1.0	23.2		
								1.8	22.3	1.7	24.6	1.8	24.6	1.8	24.0		
	Apayao	24.8	28.0	28.4	27.1	High Emission (RCP8.5)	Lower Bound	1.2	21.7	1.3	24.2	1.3	24.1	1.3	23.5		
								1.6	22.1	1.6	24.5	1.5	24.3	1.6	23.8		
								2.1	22.6	2.3	25.2	2.3	25.1	2.3	24.5		
	Benguet	19.4	21.9	22.0	21.2	Moderate Emission (RCP4.5)	Lower Bound	1.1	26.1	1.0	28.4	1.0	27.9	1.0	27.4		
								1.3	26.3	1.2	28.6	1.3	28.2	1.1	27.5		
								1.8	26.8	1.8	29.2	1.9	28.8	1.9	28.3		
	Ifugao	22.2	25.6	25.8	24.5	High Emission (RCP8.5)	Lower Bound	1.3	26.3	1.4	28.8	1.3	28.2	1.4	27.8		
								1.6	26.6	1.7	29.1	1.6	28.5	1.6	28.0		
	Kalinga	23.8	27.5	27.7	26.1	Moderate Emission (RCP4.5)	Upper Bound	2.1	27.1	2.4	29.8	2.4	29.3	2.3	28.7		
								1.0	25.5	1.0	28.4	1.0	28.2	1.0	27.4		
								1.2	25.7	1.2	28.6	1.3	28.5	1.2	27.6		
Mountain Province		22.7	26.0	26.1	24.9	High Emission (RCP8.5)	Upper Bound	1.7	26.2	1.8	29.2	1.8	29.0	1.8	28.2		
								1.2	25.7	1.4	28.8	1.4	28.6	1.4	27.8		
								1.7	26.2	1.7	29.1	1.6	28.8	1.7	28.1		
		26.1	27.7	26.1	26.1	Moderate Emission (RCP4.5)	Lower Bound	1.1	20.5	1.1	23.0	1.1	23.1	1.1	22.3		
								1.3	20.7	1.3	23.2	1.4	23.4	1.3	22.5		
								1.8	21.2	1.9	23.8	1.9	23.9	1.9	23.1		
		26.1	27.7	26.1	26.1	High Emission (RCP8.5)	Lower Bound	1.3	20.7	1.5	23.4	1.4	23.4	1.4	22.6		
								1.8	21.2	1.8	23.7	1.7	23.7	1.7	22.9		
								2.1	21.5	2.4	24.3	2.5	24.5	2.3	23.5		

\*percentile range of model projections: lower bound = 10<sup>th</sup> percentile, median = 50<sup>th</sup> percentile, upper bound = 90<sup>th</sup> percentile

## Observed Climate Trends and Projected Climate Change in the Philippines

**Table B-2.** CLIRAM of the projected seasonal change in mean temperature (in degree Celsius) in the mid-21st century (2036-2065) for all provinces; baseline period: 1971-2000 (*cont.*).

Region	Province	Observed (1971-2000)				Scenario	Range*	Projected (2036-2065)								
		DJF	MAM	JJA	SON			DJF (Dec-Jan-Feb)		MAM (Mar-Apr-May)		JJA (Jun-Jul-Aug)		SON (Sep-Oct-Nov)		
Region 2		Cagayan	Isabela			Change	Projected value	Change	Projected value	Change	Projected value	Change	Projected value	Change	Projected value	
Region 2	Cagayan	24.5	28.1	28.9	27.1	Moderate Emission (RCP4.5)	Lower Bound	0.9	25.4	0.9	29.0	1.0	29.9	0.9	28.0	
							Median	1.2	25.7	1.2	29.3	1.3	30.2	1.1	28.2	
							Upper Bound	1.4	25.9	1.7	29.8	1.9	30.8	1.8	28.9	
	Isabela	24.1	27.9	28.7	26.8		Lower Bound	1.0	25.5	1.2	29.3	1.3	30.2	1.3	28.4	
							Median	1.5	26.0	1.6	29.7	1.6	30.5	1.5	28.6	
							Upper Bound	1.7	26.2	2.2	30.3	2.4	31.3	2.2	29.3	
Region 2	Nueva Vizcaya	22.3	25.1	25.4	24.4	Moderate Emission (RCP4.5)	Lower Bound	1.0	25.1	0.9	28.8	1.0	29.7	1.0	27.8	
							Median	1.2	25.3	1.2	29.1	1.3	30.0	1.1	27.9	
							Upper Bound	1.5	25.6	1.7	29.6	2.0	30.7	1.9	28.7	
	Quirino	23.7	26.8	27.6	26.2		Lower Bound	1.1	25.2	1.2	29.1	1.3	30.0	1.3	28.1	
							Median	1.6	25.7	1.7	29.6	1.6	30.3	1.6	28.4	
							Upper Bound	1.8	25.9	2.3	30.2	2.5	31.2	2.3	29.1	
Region 3	Aurora	24.5	27.1	27.9	26.7	Moderate Emission (RCP4.5)	Lower Bound	1.0	23.3	1.0	26.1	1.0	26.4	1.0	25.4	
							Median	1.2	23.5	1.3	26.4	1.3	26.7	1.1	25.5	
							Upper Bound	1.6	23.9	1.8	26.9	1.9	27.3	1.9	26.3	
	Bataan	26.4	28.7	27.6	27.3		Lower Bound	1.1	23.4	1.3	26.4	1.4	26.8	1.4	25.8	
							Median	1.6	23.9	1.7	26.8	1.6	27.0	1.6	26.0	
							Upper Bound	1.9	24.2	2.3	27.4	2.5	27.9	2.3	26.7	
Region 3	Bulacan	25.6	27.9	27.1	26.7	Moderate Emission (RCP4.5)	Lower Bound	1.0	24.7	1.0	27.8	1.0	28.6	1.0	27.2	
							Median	1.2	24.9	1.3	28.1	1.3	28.9	1.1	27.3	
							Upper Bound	1.6	25.3	1.8	28.6	2.0	29.6	1.9	28.1	
	Nueva Ecija	25.3	27.7	27.5	26.8		Lower Bound	1.1	24.8	1.3	28.1	1.4	29.0	1.3	27.5	
							Median	1.5	25.2	1.7	28.5	1.6	29.2	1.6	27.8	
							Upper Bound	1.9	25.6	2.3	29.1	2.5	30.1	2.3	28.5	
Region 3	Pampanga	26.0	28.3	27.5	27.1	Moderate Emission (RCP4.5)	Lower Bound	1.0	27.4	0.9	29.6	1.0	28.6	1.0	28.3	
							Median	1.2	27.6	1.2	29.9	1.2	28.8	1.0	28.3	
							Upper Bound	1.7	28.1	1.8	30.5	1.7	29.3	1.8	29.1	
	Tarlac	26.1	28.3	27.8	27.3		Lower Bound	1.2	27.6	1.3	30.0	1.3	28.9	1.4	28.7	
							Median	1.6	28.0	1.7	30.4	1.5	29.1	1.5	28.8	
							Upper Bound	2.0	28.4	2.3	31.0	2.2	29.8	2.2	29.5	
Region 3	Zambales	26.3	28.3	27.4	27.2	Moderate Emission (RCP4.5)	Lower Bound	1.0	26.3	1.0	28.7	1.0	28.5	1.0	27.8	
							Median	1.2	26.5	1.2	28.9	1.3	28.8	1.1	27.9	
							Upper Bound	1.7	27.0	1.8	29.5	1.9	29.4	1.9	28.7	
	High Emission (RCP8.5)	25.3	27.7	27.5	26.8		Lower Bound	1.2	26.5	1.4	29.1	1.3	28.8	1.4	28.2	
							Median	1.6	26.9	1.7	29.4	1.6	29.1	1.6	28.4	
							Upper Bound	2.0	27.3	2.3	30.0	2.4	29.9	2.3	29.1	
Region 3	Moderate Emission (RCP4.5)	26.0	28.3	27.5	27.1		Lower Bound	1.0	27.0	1.0	29.3	1.0	28.5	1.0	28.1	
							Median	1.3	27.3	1.3	29.6	1.3	28.8	1.1	28.2	
							Upper Bound	1.7	27.7	1.8	30.1	1.9	29.4	1.9	29.0	
	High Emission (RCP8.5)	26.1	28.3	27.8	27.3		Lower Bound	1.2	27.2	1.3	29.6	1.4	28.9	1.4	28.5	
							Median	1.6	27.6	1.7	30.0	1.6	29.1	1.6	28.7	
							Upper Bound	2.1	28.1	2.4	30.7	2.4	29.9	2.3	29.4	
Region 3	Moderate Emission (RCP4.5)	26.1	28.3	27.8	27.3	Moderate Emission (RCP4.5)	Lower Bound	1.0	27.1	1.0	29.3	1.0	28.8	1.0	28.3	
							Median	1.3	27.4	1.2	29.5	1.2	29.0	1.1	28.4	
							Upper Bound	1.7	27.8	1.8	30.1	1.9	29.7	1.9	29.2	
	High Emission (RCP8.5)	26.3	28.3	27.4	27.2		Lower Bound	1.2	27.3	1.4	29.7	1.4	29.2	1.4	28.7	
							Median	1.6	27.7	1.7	30.0	1.6	29.4	1.6	28.9	
							Upper Bound	2.1	28.2	2.3	30.6	2.5	30.3	2.3	29.6	
Region 3	Moderate Emission (RCP4.5)	26.3	28.3	27.4	27.2	High Emission (RCP8.5)	Lower Bound	1.0	27.3	1.0	29.3	1.0	28.4	1.0	28.2	
							Median	1.3	27.6	1.2	29.5	1.2	28.6	1.1	28.3	
							Upper Bound	1.7	28.0	1.8	30.1	1.8	29.2	1.8	29.0	
	High Emission (RCP8.5)	26.3	28.3	27.4	27.2		Lower Bound	1.2	27.5	1.3	29.6	1.4	28.8	1.4	28.6	
							Median	1.6	27.9	1.7	30.0	1.5	28.9	1.6	28.8	
							Upper Bound	2.1	28.4	2.3	30.6	2.2	29.6	2.2	29.4	

\*percentile range of model projections: lower bound = 10<sup>th</sup> percentile, median = 50<sup>th</sup> percentile, upper bound = 90<sup>th</sup> percentile

## Observed Climate Trends and Projected Climate Change in the Philippines

**Table B-2.** CLIRAM of the projected seasonal change in mean temperature (in degree Celsius) in the mid-21st century (2036-2065) for all provinces; baseline period: 1971-2000 (*cont.*).

Region	Province	Observed (1971-2000)				Scenario	Range*	Projected (2036-2065)									
		DJF	MAM	JJA	SON			DJF (Dec-Jan-Feb)		MAM (Mar-Apr-May)		JJA (Jun-Jul-Aug)		SON (Sep-Oct-Nov)			
								Change	Projected value	Change	Projected value	Change	Projected value	Change	Projected value		
Region 4-A	Batangas	24.2	26.5	25.9	25.6	Moderate Emission (RCP4.5)	Lower Bound	1.0	25.2	1.0	27.5	1.0	26.9	1.0	26.6		
								Median	1.2	25.4	1.2	27.7	1.2	27.1	1.0	26.6	
								Upper Bound	1.6	25.8	1.7	28.2	1.7	27.6	1.8	27.4	
	Cavite	25.7	28.2	27.3	26.9		High Emission (RCP8.5)	Lower Bound	1.2	25.4	1.3	27.8	1.3	27.2	1.4	27.0	
								Median	1.6	25.8	1.6	28.1	1.5	27.4	1.5	27.1	
								Upper Bound	1.9	26.1	2.2	28.7	2.3	28.2	2.2	27.8	
	Laguna	25.0	27.5	27.5	26.7		Moderate Emission (RCP4.5)	Lower Bound	1.0	26.7	1.0	29.2	1.0	28.3	1.0	27.9	
								Median	1.3	27.0	1.2	29.4	1.2	28.5	1.1	28.0	
								Upper Bound	1.7	27.4	1.7	29.9	1.8	29.1	1.8	28.7	
	Quezon	25.1	27.2	27.6	26.7		High Emission (RCP8.5)	Lower Bound	1.2	26.9	1.3	29.5	1.3	28.6	1.4	28.3	
								Median	1.6	27.3	1.6	29.8	1.5	28.8	1.5	28.4	
								Upper Bound	2.0	27.7	2.3	30.5	2.2	29.5	2.2	29.1	
Region 4-B	Rizal	25.4	27.9	27.6	26.8		Moderate Emission (RCP4.5)	Lower Bound	1.0	26.0	1.0	28.5	1.0	28.5	1.0	27.7	
								Median	1.2	26.2	1.2	28.7	1.3	28.8	1.1	27.8	
								Upper Bound	1.6	26.6	1.7	29.2	1.8	29.3	1.9	28.6	
	Oriental Mindoro	26.5	28.3	27.3	27.1		High Emission (RCP8.5)	Lower Bound	1.1	26.1	1.3	28.8	1.3	28.8	1.4	28.1	
								Median	1.6	26.6	1.6	29.1	1.5	29.0	1.5	28.2	
								Upper Bound	1.9	26.9	2.2	29.7	2.4	29.9	2.3	29.0	
	Occidental Mindoro	26.4	28.3	27.6	27.3		Moderate Emission (RCP4.5)	Lower Bound	1.0	26.1	0.9	28.1	1.0	28.6	1.0	27.7	
								Median	1.2	26.3	1.2	28.4	1.2	28.8	1.1	27.8	
								Upper Bound	1.6	26.7	1.6	28.8	1.8	29.4	1.8	28.5	
	Palawan	26.9	28.1	27.3	27.4		High Emission (RCP8.5)	Lower Bound	1.1	26.2	1.3	28.5	1.3	28.9	1.3	28.0	
								Median	1.6	26.7	1.6	28.8	1.5	29.1	1.4	28.1	
								Upper Bound	1.9	26.9	2.0	29.2	2.3	29.9	2.2	28.9	
Region 5	Romblon	26.3	28.5	28.1	27.7		Moderate Emission (RCP4.5)	Lower Bound	1.0	27.5	1.0	29.3	0.9	28.2	1.0	28.1	
								Median	1.3	27.8	1.3	29.6	1.2	28.5	1.1	28.2	
								Upper Bound	1.7	28.2	1.8	30.1	1.7	29.0	1.8	28.9	
	Albay	26.1	28.8	28.0	27.4		High Emission (RCP8.5)	Lower Bound	1.3	27.8	1.4	29.7	1.4	28.7	1.4	28.5	
								Median	1.6	28.1	1.7	30.0	1.5	28.8	1.5	28.6	
								Upper Bound	1.9	28.3	2.2	30.5	2.3	29.9	2.2	29.5	
	Metro Manila	25.6	27.2	27.8	27.1		Moderate Emission (RCP4.5)	Lower Bound	1.0	27.9	1.0	29.1	0.9	28.2	1.0	28.4	
								Median	1.3	28.2	1.2	29.3	1.2	28.5	1.1	28.5	
								Upper Bound	1.6	28.5	1.6	29.7	1.6	28.9	1.7	29.1	
	NCR	26.1	28.8	28.0	27.4		High Emission (RCP8.5)	Lower Bound	1.2	28.1	1.3	29.4	1.3	28.6	1.3	28.7	
								Median	1.6	28.5	1.7	29.8	1.5	28.8	1.5	28.9	
								Upper Bound	1.9	28.8	2.1	30.2	2.0	29.3	2.1	29.5	
	Palawan	26.9	28.1	27.3	27.4		Moderate Emission (RCP4.5)	Lower Bound	1.0	27.9	1.0	29.1	0.9	28.2	1.0	28.4	
								Median	1.3	28.2	1.2	29.3	1.2	28.5	1.1	28.5	
								Upper Bound	1.6	28.5	1.6	29.7	1.6	28.9	1.7	29.1	
	Oriental Mindoro	26.4	28.3	27.6	27.3		High Emission (RCP8.5)	Lower Bound	1.2	27.6	1.3	29.2	1.3	28.9	1.3	28.6	
								Median	1.6	27.0	1.6	29.5	1.5	29.1	1.5	28.8	
								Upper Bound	2.0	28.5	2.3	30.6	2.2	29.5	2.2	29.3	
	Occidental Mindoro	26.5	28.3	27.3	27.1		Moderate Emission (RCP4.5)	Lower Bound	1.0	27.5	1.0	29.3	0.9	28.5	1.0	28.3	
								Median	1.3	27.8	1.3	29.6	1.2	28.5	1.1	28.4	
								Upper Bound	1.7	28.2	1.8	30.1	1.7	29.0	1.8	28.9	
	Rizal	26.4	28.3	27.6	27.3		High Emission (RCP8.5)	Lower Bound	1.2	27.6	1.3	29.2	1.3	28.9	1.3	28.7	
								Median	1.6	28.0	1.6	29.5	1.5	28.8	1.5	28.6	
								Upper Bound	2.0	28.5	2.3	30.6	2.2	29.5	2.2	29.3	
	Batangas	26.5	28.2	27.3	27.1		Moderate Emission (RCP4.5)	Lower Bound	1.0	27.4	1.0	29.3	0.9	28.5	1.0	28.3	
								Median	1.2	27.6	1.2	29.5	1.2	28.8	1.1	28.4	
								Upper Bound	1.6	28.0	1.7	30.0	1.8	29.4	1.8	29.1	
	Cavite	26.7	28.2	27.3	27.1		High Emission (RCP8.5)	Lower Bound	1.2	27.8	1.3	29.7	1.4	28.6	1.3	28.7	
								Median	1.6	28.1	1.7	30.0	1.5	28.8	1.5	28.6	
								Upper Bound	1.9	28.4	2.1	30.2	2.0	29.3	2.1	29.5	
	Laguna	26.8	28.3	27.5	27.1		Moderate Emission (RCP4.5)	Lower Bound	1.0	26.4	1.0	28.9	1.0	28.6	1.0	27.8	
								Median	1.2	26.6	1.2	29.1	1.3	28.9	1.1	27.9	
								Upper Bound	1.6	27.0	1.7	29.6	1.8	29.4	1.8	28.6	
	Quezon	26.9	28.1	27.3	27.1		High Emission (RCP8.5)	Lower Bound	1.2	26.6	1.3	29.2	1.3	28.9	1.4	28.0	
								Median	1.6	27.0	1.6	29.5	1.5	29.1	1.5	28.3	
								Upper Bound	1.9	27.3	2.2	30.1	2.3	29.9	2.2	29.0	

## Observed Climate Trends and Projected Climate Change in the Philippines

**Table B-2.** CLIRAM of the projected seasonal change in mean temperature (in degree Celsius) in the mid-21st century (2036-2065) for all provinces; baseline period: 1971-2000 (*cont.*).

Region	Province	Observed (1971-2000)				Scenario	Range*	Projected (2036-2065)									
		DJF	MAM	JJA	SON			DJF (Dec-Jan-Feb)		MAM (Mar-Apr-May)		JJA (Jun-Jul-Aug)		SON (Sep-Oct-Nov)			
								Change	Projected value	Change	Projected value	Change	Projected value	Change	Projected value		
Region 5	Camarines Norte	25.7	27.6	28.3	27.3	Moderate Emission (RCP4.5)	Lower Bound	1.0	26.7	1.0	28.6	1.0	29.3	1.0	28.3		
						Moderate Emission (RCP4.5)	Median	1.2	26.9	1.2	28.8	1.2	29.5	1.0	28.3		
						Moderate Emission (RCP4.5)	Upper Bound	1.6	27.3	1.7	29.3	1.8	30.1	1.8	29.1		
	Camarines Sur	25.6	27.5	28.1	27.1	High Emission (RCP8.5)	Lower Bound	1.2	26.9	1.3	28.9	1.3	29.6	1.3	28.6		
						High Emission (RCP8.5)	Median	1.6	27.3	1.6	29.2	1.6	29.9	1.4	28.7		
	Catanduanes	24.7	26.3	27.2	26.4	Moderate Emission (RCP4.5)	Lower Bound	1.0	26.6	1.0	28.5	1.0	29.1	1.0	28.1		
						Moderate Emission (RCP4.5)	Median	1.2	26.8	1.2	28.7	1.2	29.3	1.1	28.2		
						Moderate Emission (RCP4.5)	Upper Bound	1.6	27.2	1.7	29.2	1.8	29.9	1.8	28.9		
		26.6	28.4	28.6	28.0	High Emission (RCP8.5)	Lower Bound	1.2	26.8	1.3	28.8	1.4	29.5	1.4	28.5		
						High Emission (RCP8.5)	Median	1.6	27.2	1.6	29.1	1.5	29.6	1.5	28.6		
	Masbate	26.6	28.4	28.6	28.0	Moderate Emission (RCP4.5)	Upper Bound	1.9	27.5	2.2	29.8	2.3	30.6	2.2	29.5		
						High Emission (RCP8.5)	Lower Bound	1.0	25.7	1.0	27.3	1.0	28.2	1.0	27.4		
						High Emission (RCP8.5)	Median	1.1	25.8	1.2	27.5	1.2	28.4	1.1	27.5		
		25.9	27.4	27.9	27.3	Moderate Emission (RCP4.5)	Upper Bound	1.5	26.2	1.6	27.9	1.7	28.9	1.7	28.1		
						High Emission (RCP8.5)	Lower Bound	1.2	25.9	1.3	27.6	1.3	28.5	1.3	27.7		
	Sorsogon	25.9	27.4	27.9	27.3	Moderate Emission (RCP4.5)	Median	1.5	26.2	1.6	27.9	1.6	28.8	1.4	27.8		
						High Emission (RCP8.5)	Upper Bound	1.7	26.4	1.9	28.2	2.1	29.3	2.0	28.4		
						Moderate Emission (RCP4.5)	Lower Bound	1.0	27.6	1.0	29.4	1.0	29.6	1.0	29.0		
		26.1	27.9	27.8	27.4	Moderate Emission (RCP4.5)	Median	1.2	27.8	1.2	29.6	1.2	29.8	1.1	29.1		
						High Emission (RCP8.5)	Upper Bound	1.6	28.2	1.6	30.0	1.7	30.3	1.7	29.7		
	Aklan	26.1	27.9	27.8	27.4	Moderate Emission (RCP4.5)	Lower Bound	1.2	27.8	1.3	29.7	1.3	29.9	1.3	29.3		
						High Emission (RCP8.5)	Median	1.6	28.2	1.6	30.0	1.5	30.1	1.4	29.4		
						High Emission (RCP8.5)	Upper Bound	1.8	28.4	1.9	30.3	2.1	30.7	2.1	30.1		
		26.6	28.4	27.9	27.7	Moderate Emission (RCP4.5)	Lower Bound	1.0	27.1	1.0	28.4	1.0	28.9	1.0	28.3		
						High Emission (RCP8.5)	Median	1.5	27.6	1.6	29.0	1.7	29.6	1.8	29.1		
	Antique	26.6	28.4	27.9	27.7	Moderate Emission (RCP4.5)	Upper Bound	1.9	27.8	2.0	29.4	2.2	30.1	2.2	29.5		
						High Emission (RCP8.5)	Lower Bound	1.2	27.1	1.4	28.8	1.4	29.3	1.3	28.6		
						High Emission (RCP8.5)	Median	1.5	27.4	1.6	29.0	1.6	29.5	1.5	28.8		
		25.9	27.7	27.8	27.3	Moderate Emission (RCP4.5)	Upper Bound	1.6	27.5	1.6	29.0	1.7	29.6	1.8	29.1		
						High Emission (RCP8.5)	Lower Bound	1.2	27.3	1.3	29.2	1.3	29.1	1.3	28.7		
	Guimaras	26.5	28.3	27.7	27.5	Moderate Emission (RCP4.5)	Median	1.3	27.9	1.3	29.7	1.2	29.1	1.1	28.8		
						High Emission (RCP8.5)	Upper Bound	1.7	28.3	1.8	30.2	1.8	29.7	1.8	29.5		
						High Emission (RCP8.5)	Lower Bound	1.2	27.8	1.4	29.8	1.4	29.3	1.4	29.1		
		26.4	28.2	27.9	27.6	Moderate Emission (RCP4.5)	Median	1.6	28.6	1.6	30.7	2.3	30.2	2.2	29.9		
						High Emission (RCP8.5)	Upper Bound	1.9	27.5	2.1	29.4	2.2	30.0	2.2	29.6		
	Negros Occidental	26.7	28.4	27.8	27.6	Moderate Emission (RCP4.5)	Lower Bound	1.0	27.4	1.0	29.2	0.9	28.8	1.0	28.6		
						High Emission (RCP8.5)	Median	1.2	27.7	1.2	29.5	1.1	29.1	1.1	28.5		
						High Emission (RCP8.5)	Upper Bound	1.5	28.0	1.5	29.8	1.5	29.2	1.6	29.1		
		26.7	28.4	27.8	27.6	Moderate Emission (RCP4.5)	Lower Bound	1.2	27.8	1.3	29.5	1.4	29.3	1.3	28.9		
						High Emission (RCP8.5)	Median	1.6	28.3	1.7	29.9	1.5	29.4	1.5	29.1		
						High Emission (RCP8.5)	Upper Bound	1.9	28.8	2.3	30.7	2.3	30.1	2.2	29.8		

\*percentile range of model projections: lower bound = 10<sup>th</sup> percentile, median = 50<sup>th</sup> percentile, upper bound = 90<sup>th</sup> percentile

## Observed Climate Trends and Projected Climate Change in the Philippines

**Table B-2.** CLIRAM of the projected seasonal change in mean temperature (in degree Celsius) in the mid-21st century (2036-2065) for all provinces; baseline period: 1971-2000 (*cont.*).

Region	Observed (1971-2000)				Scenario	Range*	Projected (2036-2065)							
	DJF	MAM	JJA	SON			DJF (Dec-Jan-Feb)		MAM (Mar-Apr-May)		JJA (Jun-Jul-Aug)			
							Change	Projected value	Change	Projected value	Change	Projected value		
Region 7	Bohol	26.6	28.0	28.2	Moderate Emission (RCP4.5)	Lower Bound	1.0	27.6	1.0	29.0	1.0	29.2		
							1.2	27.8	1.2	29.2	1.2	29.4		
							1.7	28.3	1.7	29.7	1.7	29.9		
						High Emission (RCP8.5)	1.3	27.9	1.4	29.4	1.4	29.6		
							1.6	28.2	1.7	29.7	1.6	29.8		
	Cebu	26.8	28.4	28.2	Moderate Emission (RCP4.5)	Upper Bound	2.0	28.6	2.2	30.2	2.2	30.4		
							1.0	27.8	1.0	29.4	0.9	29.1		
							1.2	28.0	1.2	29.6	1.1	29.0		
						Upper Bound	1.7	28.5	1.7	30.1	1.7	29.9		
							1.3	28.1	1.3	29.7	1.4	29.6		
Region 8	Negros Oriental	27.0	28.4	28.0	Moderate Emission (RCP4.5)	Lower Bound	1.0	28.0	1.0	29.4	0.9	28.9		
							1.2	28.2	1.3	29.7	1.2	29.2		
							1.6	28.6	1.7	30.1	1.7	29.7		
						High Emission (RCP8.5)	1.3	28.1	1.3	29.7	1.4	29.6		
							1.6	28.4	1.6	30.0	1.6	29.8		
	Eastern Samar	26.1	27.7	28.3	Moderate Emission (RCP4.5)	Upper Bound	2.0	29.0	2.3	30.7	2.2	30.2		
							1.0	27.1	1.0	28.7	1.0	29.3		
							1.1	27.2	1.2	28.9	1.2	29.5		
						High Emission (RCP8.5)	1.6	27.7	1.7	29.4	1.8	30.1		
							1.3	27.4	1.4	29.1	1.4	29.7		
Region 9	Leyte	26.4	27.8	28.0	Moderate Emission (RCP4.5)	Lower Bound	1.0	27.4	1.0	28.8	0.9	28.9		
							1.2	27.6	1.2	29.0	1.2	29.2		
							1.7	28.1	1.8	29.6	1.8	29.8		
						High Emission (RCP8.5)	1.3	27.7	1.4	29.2	1.4	29.4		
							1.5	27.6	1.6	29.3	1.7	30.0		
	Northern Samar	26.0	27.5	28.3	Moderate Emission (RCP4.5)	Upper Bound	1.9	28.0	2.1	29.8	2.2	30.5		
							1.0	27.0	1.0	28.5	1.0	28.5		
							1.2	27.2	1.2	28.7	1.2	29.5		
						High Emission (RCP8.5)	1.6	27.6	1.7	29.2	1.8	30.1		
							1.3	27.3	1.4	28.9	1.4	29.7		
Region 8	Samar	26.3	27.9	28.4	Moderate Emission (RCP4.5)	Lower Bound	1.0	27.3	1.0	28.9	1.0	29.4		
							1.2	27.5	1.2	29.1	1.2	29.6		
							1.7	28.0	1.8	29.7	1.8	30.2		
						High Emission (RCP8.5)	1.3	27.6	1.4	29.3	1.4	29.8		
							1.5	27.9	1.6	29.5	1.6	29.6		
	Southern Leyte	26.4	27.7	27.8	Moderate Emission (RCP4.5)	Upper Bound	2.1	28.5	2.3	30.1	2.2	30.2		
							1.0	27.4	1.0	28.7	1.0	28.7		
							1.2	27.6	1.2	29.0	1.1	28.6		
						High Emission (RCP8.5)	1.7	28.1	1.7	29.4	1.7	29.5		
							1.3	27.7	1.3	29.0	1.3	29.1		
Region 9	Zamboanga del Norte	27.0	27.9	27.6	Moderate Emission (RCP4.5)	Lower Bound	0.9	27.9	1.0	28.9	0.9	28.7		
							1.2	28.2	1.3	29.2	1.2	28.8		
							1.7	28.7	1.7	29.6	1.8	29.4		
						High Emission (RCP8.5)	1.4	28.4	1.4	29.3	1.3	28.9		
							1.6	28.6	1.7	29.6	1.5	29.1		
	Zamboanga del Sur	26.8	27.6	27.3	Moderate Emission (RCP4.5)	Upper Bound	2.1	29.1	2.2	30.1	2.3	29.7		
							1.0	27.8	1.1	28.7	1.0	28.2		
							1.2	28.0	1.3	28.9	1.2	28.4		
						High Emission (RCP8.5)	1.7	28.5	1.8	29.4	1.8	29.0		
							1.4	28.2	1.4	29.0	1.3	28.7		
Region 9	Zamboanga Sibugay	27.1	27.9	27.5	Moderate Emission (RCP4.5)	Lower Bound	1.0	28.0	1.1	29.0	0.9	28.4		
							1.2	28.3	1.3	29.2	1.1	28.6		
							1.8	28.9	1.7	29.6	1.6	29.1		
						High Emission (RCP8.5)	1.4	28.5	1.4	29.3	1.3	28.8		
							1.6	28.7	1.7	29.6	1.4	29.0		
						2.2	29.3	2.2	30.1	2.0	29.5			

\*percentile range of model projections: lower bound = 10<sup>th</sup> percentile, median = 50<sup>th</sup> percentile, upper bound = 90<sup>th</sup> percentile

## Observed Climate Trends and Projected Climate Change in the Philippines

**Table B-2.** CLIRAM of the projected seasonal change in mean temperature (in degree Celsius) in the mid-21st century (2036-2065) for all provinces; baseline period: 1971-2000 (*cont.*).

Region	Province	Observed (1971-2000)				Scenario	Range*	Projected (2036-2065)								
		DJF	MAM	JJA	SON			DJF (Dec-Jan-Feb)		MAM (Mar-Apr-May)		JJA (Jun-Jul-Aug)		SON (Sep-Oct-Nov)		
		Bukidnon	Lanao del Norte	Misamis Occidental	Misamis Oriental		Change	Projected value	Change	Projected value	Change	Projected value	Change	Projected value	Change	Projected value
Region 10	Misamis Oriental	25.1	26.5	25.8	25.7	Moderate Emission (RCP4.5)	Lower Bound	1.1	26.2	1.1	27.6	1.0	26.8	1.1	26.8	
							Median	1.3	26.4	1.3	27.8	1.2	27.0	1.2	26.9	
							Upper Bound	1.7	26.8	1.8	28.3	1.9	27.7	1.8	27.5	
		24.4	25.5	25.4	25.2	High Emission (RCP8.5)	Lower Bound	1.4	26.5	1.5	28.0	1.4	27.2	1.4	27.1	
							Median	1.7	26.8	1.8	28.3	1.6	27.4	1.6	27.3	
							Upper Bound	2.2	27.3	2.4	28.9	2.4	28.2	2.3	28.0	
		25.6	26.7	26.6	26.4	Moderate Emission (RCP4.5)	Lower Bound	1.0	25.4	1.1	26.6	1.0	26.4	1.0	26.2	
							Median	1.3	25.7	1.3	26.8	1.2	26.6	1.2	26.4	
							Upper Bound	1.8	26.2	1.8	27.3	1.8	27.2	1.8	27.0	
Region 11	Davao Oriental	25.4	26.8	26.9	26.5	Moderate Emission (RCP4.5)	Lower Bound	1.5	25.9	1.4	26.9	1.3	26.7	1.3	26.5	
							Median	1.7	26.1	1.8	27.3	1.5	26.9	1.6	26.8	
							Upper Bound	2.2	26.6	2.3	27.8	2.3	27.7	2.3	27.5	
		26.7	27.8	27.6	27.6	High Emission (RCP8.5)	Lower Bound	1.4	27.0	1.4	28.1	1.3	27.9	1.3	27.7	
							Median	1.6	27.2	1.7	28.4	1.6	28.2	1.6	28.0	
							Upper Bound	1.9	27.5	2.1	28.8	2.3	28.9	2.3	28.7	
		26.7	27.8	27.6	27.6	Moderate Emission (RCP4.5)	Lower Bound	1.0	26.4	1.0	27.8	1.0	27.9	1.0	27.5	
							Median	1.3	26.7	1.2	28.0	1.2	28.1	1.1	27.6	
							Upper Bound	1.7	27.1	1.7	28.5	1.8	28.7	1.8	28.3	
Region 12	Sarangani	26.8	27.8	27.5	27.4	High Emission (RCP8.5)	Lower Bound	1.4	26.8	1.4	28.2	1.3	28.2	1.3	27.8	
							Median	1.6	27.0	1.7	29.5	1.7	29.3	1.6	29.0	
							Upper Bound	2.2	28.9	2.3	30.1	2.3	29.9	2.2	29.8	
		26.8	27.8	27.5	27.6	Moderate Emission (RCP4.5)	Lower Bound	1.0	27.7	1.0	28.8	1.0	28.6	1.0	28.6	
							Median	1.2	27.9	1.3	29.1	1.2	28.8	1.2	28.8	
							Upper Bound	1.7	28.4	1.8	29.6	1.8	29.4	1.8	29.4	
		26.9	27.8	26.9	27.1	High Emission (RCP8.5)	Lower Bound	1.4	28.1	1.5	29.3	1.3	28.9	1.3	28.9	
							Median	1.6	28.3	1.7	29.5	1.7	29.3	1.6	29.2	
							Upper Bound	2.2	28.9	2.3	30.1	2.3	29.9	2.2	29.8	
		26.8	27.8	27.5	27.6	Moderate Emission (RCP4.5)	Lower Bound	1.0	27.9	1.0	28.8	1.0	28.4	1.0	28.4	
							Median	1.2	27.9	1.2	29.0	1.2	28.6	1.2	28.6	
							Upper Bound	1.8	28.5	1.8	29.6	1.8	29.2	1.8	29.2	
		26.8	27.8	27.5	27.6	High Emission (RCP8.5)	Lower Bound	1.4	28.1	1.5	29.3	1.3	28.7	1.3	28.7	
							Median	1.6	28.3	1.7	29.5	1.6	29.0	1.6	29.0	
							Upper Bound	2.2	28.9	2.3	30.1	2.3	29.7	2.2	29.6	
		26.8	27.8	27.5	27.6	Moderate Emission (RCP4.5)	Lower Bound	1.0	27.8	1.0	28.8	1.0	28.5	1.0	28.6	
							Median	1.2	28.0	1.2	29.0	1.2	28.7	1.3	28.9	
							Upper Bound	1.6	28.4	1.7	29.5	1.8	29.3	1.8	29.4	
		26.8	27.8	27.5	27.6	High Emission (RCP8.5)	Lower Bound	1.3	28.1	1.4	29.2	1.3	28.2	1.3	28.4	
							Median	1.6	28.5	1.7	29.5	1.6	28.5	1.6	28.7	
							Upper Bound	2.0	28.8	2.1	30.1	2.3	29.7	2.2	29.8	
		26.8	27.8	27.5	27.6	Moderate Emission (RCP4.5)	Lower Bound	1.0	27.8	1.0	28.8	1.0	28.5	1.0	28.6	
							Median	1.2	28.0	1.2	29.0	1.2	28.7	1.3	28.9	
							Upper Bound	1.6	28.4	1.7	29.5	1.8	29.3	1.8	29.4	
		26.8	27.8	27.5	27.6	High Emission (RCP8.5)	Lower Bound	1.3	28.1	1.3	29.1	1.3	28.8	1.3	28.9	
							Median	1.6	28.4	1.6	29.4	1.5	29.0	1.5	29.1	
							Upper Bound	2.0	28.8	2.1	29.9	2.2	29.7	2.2	29.8	
		26.8	27.8	27.5	27.6	Moderate Emission (RCP4.5)	Lower Bound	1.0	27.8	1.0	28.8	1.0	28.5	1.0	28.6	
							Median	1.2	28.0	1.2	29.0	1.1	28.6	1.2	28.8	
							Upper Bound	1.7	28.5	1.7	29.5	1.7	29.2	1.8	29.4	
		26.8	27.8	27.5	27.6	High Emission (RCP8.5)	Lower Bound	1.3	28.1	1.4	29.2	1.3	28.8	1.3	28.9	
							Median	1.6	28.4	1.6	29.4	1.6	29.1	1.5	29.1	
							Upper Bound	2.1	28.9	2.3	30.1	2.1	29.6	2.2	29.8	
		26.8	27.8	27.5	27.6	Moderate Emission (RCP4.5)	Lower Bound	1.0	27.8	1.0	28.9	1.0	28.0	1.0	28.1	
							Median	1.3	28.1	1.2	29.1	1.2	28.2	1.2	28.3	
							Upper Bound	1.8	28.6	1.7	29.6	1.8	28.8	1.8	28.9	
		26.8	27.8	27.5	27.6	High Emission (RCP8.5)	Lower Bound	1.4	28.2	1.4	29.3	1.3	28.3	1.4	28.5	
							Median	1.8	28.6	1.8	29.7	1.6	28.6	1.6	28.7	
							Upper Bound	2.3	29.1	2.3	30.2	2.3	29.3	2.3	29.4	
		26.8	27.8	27.5	27.6	Moderate Emission (RCP4.5)	Lower Bound	1.0	28.7	1.1	29.5	1.0	28.3	1.0	28.6	
							Median	1.2	28.9	1.3	29.7	1.2	28.5	1.3	28.9	
							Upper Bound	1.7	29.4	1.7	30.1	1.8	29.1	1.8	29.4	
		26.8	27.8	27.5	27.6	High Emission (RCP8.5)	Lower Bound	1.4	29.1	1.4	29.8	1.4	28.7	1.3	28.9	
							Median	1.6	29.3	1.7	30.1	1.6	28.9	1.6	29.2	
							Upper Bound	2.1	29.8	2.3	30.7	2.2	29.5	2.2	29.8	

\*percentile range of model projections: lower bound = 10<sup>th</sup> percentile, median = 50<sup>th</sup> percentile, upper bound = 90<sup>th</sup> percentile

## Observed Climate Trends and Projected Climate Change in the Philippines

**Table B-2.** CLIRAM of the projected seasonal change in mean temperature (in degree Celsius) in the mid-21st century (2036-2065) for all provinces; baseline period: 1971-2000 (*cont.*).

Region	Observed (1971-2000)				Scenario	Range*	Projected (2036-2065)								
	DJF	MAM	JJA	SON			DJF (Dec-Jan-Feb)		MAM (Mar-Apr-May)		JJA (Jun-Jul-Aug)				
							Change	Projected value	Change	Projected value	Change	Projected value			
<b>CARAGA</b>	South Cotabato	27.7	28.5	27.4	Moderate Emission (RCP4.5)	27.7	Lower Bound	1.0	28.7	1.1	29.6	1.1	28.5	1.0	28.7
							Median	1.3	29.0	1.3	29.8	1.2	28.6	1.3	29.0
							Upper Bound	1.8	29.5	1.8	30.3	1.9	29.3	1.9	29.6
	Sultan Kudarat	27.8	28.6	27.6	High Emission (RCP8.5)	27.8	Lower Bound	1.4	29.1	1.5	30.0	1.4	28.8	1.4	29.1
							Median	1.7	29.4	1.8	30.3	1.6	29.0	1.6	29.3
							Upper Bound	2.3	30.0	2.4	30.9	2.4	29.8	2.3	30.0
	Agusan del Norte	26.2	27.6	27.8	Moderate Emission (RCP4.5)	27.4	Lower Bound	1.0	28.8	1.0	29.6	1.0	28.6	1.0	28.8
							Median	1.2	29.0	1.2	29.8	1.1	28.7	1.2	29.0
							Upper Bound	1.8	29.6	1.8	30.4	1.8	29.4	1.8	29.6
	Agusan del Sur	25.9	27.1	27.2	High Emission (RCP8.5)	26.9	Lower Bound	1.3	29.1	1.4	30.0	1.3	28.9	1.3	29.1
							Median	1.7	29.5	1.8	30.4	1.6	29.2	1.6	29.4
							Upper Bound	2.3	30.1	2.3	30.9	2.3	29.9	2.2	30.0
<b>ARMM</b>	Surigao del Norte	26.3	27.6	28.2	Moderate Emission (RCP4.5)	27.7	Lower Bound	1.0	27.2	1.1	28.7	0.9	28.7	1.0	28.4
							Median	1.2	27.4	1.3	28.9	1.2	29.0	1.2	28.6
							Upper Bound	1.7	27.9	1.8	29.4	1.8	29.6	1.8	29.2
	Surigao del Sur	26.4	27.4	27.9	High Emission (RCP8.5)	26.9	Lower Bound	1.4	27.6	1.5	29.1	1.3	29.1	1.3	28.7
							Median	1.6	27.8	1.7	29.3	1.7	29.5	1.6	29.0
							Upper Bound	2.1	28.3	2.3	29.9	2.2	30.0	2.3	29.7
	Lanao del Sur	24.3	25.4	25.0	Moderate Emission (RCP4.5)	24.9	Lower Bound	1.0	26.9	1.1	28.2	1.0	28.2	1.0	27.9
							Median	1.2	27.1	1.2	28.3	1.1	28.3	1.2	28.1
							Upper Bound	1.7	27.6	1.8	28.9	1.8	29.0	1.8	28.7
	Maguindanao	27.6	28.3	27.5	High Emission (RCP8.5)	27.6	Lower Bound	1.3	27.2	1.4	28.5	1.4	28.6	1.4	28.3
							Median	1.6	27.5	1.7	28.8	1.7	28.9	1.6	28.5
							Upper Bound	2.2	28.1	2.3	29.4	2.3	29.5	2.2	29.1

\*percentile range of model projections: lower bound = 10<sup>th</sup> percentile, median = 50<sup>th</sup> percentile, upper bound = 90<sup>th</sup> percentile





**Republic of the Philippines**  
**Department of Science and Technology**  
**Philippine Atmospheric, Geophysical and Astronomical Services Administration**  
*Science Garden Complex, Agham Road, Diliman, Quezon City*

**ISBN 978-621-95882-0-1**