


Bangsamoro Autonomous Region in Muslim Mindanao



Provincial Values

	Mon. Ave. Rainfall (mm)	Rice		Corn	
		CS	RS (%)	CS	RS (%)
Tawi-Tawi	196.31	I	138.3	I	217.1
		II	129.5	II	169.8
		III	125.6	III	142.4
		IV	125.6	IV	168.4
Sulu	246.55	I	154.4	I	232.9
		II	144.6	II	178.8
		III	140.1	III	148.3
		IV	140.1	IV	177.2
Maguindanao	397.49	I	201.7	I	383.9
		II	186.1	II	279.0
		III	179.2	III	224.9
		IV	179.2	IV	276.1
Lanao del Sur	452.80	I	292.6	I	458.7
		II	273.7	II	356.4
		III	265.1	III	297.9
		IV	265.1	IV	353.4
Basilan	308.24	I	235.3	I	344.9
		II	220.8	II	278.2
		III	214.2	III	238.7
		IV	214.2	IV	276.1

Regional Summary

All of the cropping stages for both rice and corn crops in the region have generally received excessive amounts of rainfall; except for the rice crops in Tawi-Tawi and Sulu which, on the other hand, mainly accumulated sufficient rains to support the standing crops.

Slightly wetter conditions for the past three months have been experienced as indicated by the SPEI3. Extreme rainfall events that occurred in the first and last weeks of the month and may have caused disruption to planting activities and potentially damaged harvestable plants. Nonetheless, the extra rainfall may be beneficial for pre-planting activities, particularly for the rice crops in the prevailing Nursery stage. For farm areas not adversely affected by rainfall, such as Tawi-Tawi, NDVI suggests that crops are in healthy condition.

