



# Region I (Ilocos Region)

Water Availability for Rice  
Prevailing Stage : (IV) Flowering



Water Availability for Corn  
Prevailing Stage : (I) Establishment



## Provincial Values

	Mon. Ave. Rainfall (mm)		Rice		Corn	
			CS	CCI (%)	CS	CCI (%)
Ilocos Norte	16.1	I	1.7	I	1.4	
		II	1.5	II	0.9	
		III	1.4	III	0.7	
		IV	1.4	IV	0.9	
Ilocos Sur	24.3	I	5.5	I	3.9	
		II	5.0	II	2.5	
		III	4.8	III	1.9	
		IV	4.8	IV	2.5	
La Union	20.1	I	1.5	I	3.4	
		II	1.3	II	1.8	
		III	1.2	III	1.2	
		IV	1.2	IV	1.8	
Pangasinan	49.9	I	6.1	I	18.0	
		II	5.3	II	10.1	
		III	4.9	III	6.6	
		IV	4.9	IV	9.9	

Crop Stage (CS) highlighted in black is the dominant stage during the month of April


Rice CS: (I) Nursery (II) Vegetative (III) Siling (IV) Reproductive  
Corn CS: (I) Establishment (II) Vegetative (III) Siling (IV) Reproductive  
CCI Category: Inadequate Sufficient Excess

## Regional Summary

The entire Ilocos Region received inadequate rainfall to support rice and corn crops in the prevailing establishment stages. This may have caused delays in the pre-planting activities for both crops all over the region.

The three-month accumulated rainfall as shown in SPEI3 indicates near-normal rainfall conditions. The 1-day maximum rainfall (Rx1day) and 5-day maximum rainfall (Rx5day) indices show no notable heavy rainfall event has affected the crops in the region. According to the NDVI map, some sections of Pangasinan province (northwestern and central part) might have experienced crop stress.

NDVI



SPEI3 (Feb-Mar-Apr)



RX1day



RX5day

