

Region VI (Western Visayas)

Water Availability for Rice
Prevailing Stage : None

Harvesting and/or
pre-planting
stage is possibly
ongoing.

Water Availability for Corn
Prevailing Stage : None

Harvesting and/or
pre-planting
stage is possibly
ongoing.

Provincial Values

| | Mon. Ave. Rainfall (mm) | Rice | | | | Corn | | | |
|-------------------|-------------------------------|------|---------|-----|---------|------|---------|-----|---------|
| | | CS | CCI (%) | CS | CCI (%) | CS | CCI (%) | CS | CCI (%) |
| Aklan | 44.6 | I | 6.5 | I | 19.6 | I | 6.5 | I | 19.6 |
| | | II | 5.7 | II | 12.3 | II | 5.7 | II | 12.3 |
| | | III | 5.3 | III | 8.7 | III | 5.3 | III | 8.7 |
| | | IV | 5.3 | IV | 12.1 | IV | 5.3 | IV | 12.1 |
| Antique | 32.9 | I | 1.5 | I | 3.0 | I | 1.5 | I | 3.0 |
| | | II | 1.4 | II | 2.2 | II | 1.4 | II | 2.2 |
| | | III | 1.3 | III | 1.7 | III | 1.3 | III | 1.7 |
| | | IV | 1.3 | IV | 2.1 | IV | 1.3 | IV | 2.1 |
| Capiz | 42.1 | I | 6.5 | I | 20.9 | I | 6.5 | I | 20.9 |
| | | II | 5.6 | II | 11.3 | II | 5.6 | II | 11.3 |
| | | III | 5.2 | III | 7.4 | III | 5.2 | III | 7.4 |
| | | IV | 5.2 | IV | 11.1 | IV | 5.2 | IV | 11.1 |
| Guimaras | 30.3 | I | 2.7 | I | 10.0 | I | 2.7 | I | 10.0 |
| | | II | 2.3 | II | 5.3 | II | 2.3 | II | 5.3 |
| | | III | 2.2 | III | 3.4 | III | 2.2 | III | 3.4 |
| | | IV | 2.2 | IV | 5.2 | IV | 2.2 | IV | 5.2 |
| Iloilo | 47.6 | I | 7.8 | I | 23.4 | I | 7.8 | I | 23.4 |
| | | II | 6.7 | II | 13.2 | II | 6.7 | II | 13.2 |
| | | III | 6.3 | III | 8.7 | III | 6.3 | III | 8.7 |
| | | IV | 6.3 | IV | 13.0 | IV | 6.3 | IV | 13.0 |
| Negros Occidental | 87.1 | I | 21.5 | I | 57.9 | I | 21.5 | I | 57.9 |
| | | II | 18.8 | II | 35.7 | II | 18.8 | II | 35.7 |
| | | III | 17.6 | III | 25.1 | III | 17.6 | III | 25.1 |
| | | IV | 17.6 | IV | 35.2 | IV | 17.6 | IV | 35.2 |

Crop Stage (CS) highlighted in **bold** is the dominant stage during the month of April

Rice CS:
(I) Nursery
(II) Vegetative
(III) Reproductive
(IV) Flowering

Corn CS:
(I) Establishment
(II) Vegetative
(III) Silking
(IV) Reproductive

CCI Category:
Inadequate
Sufficient
Excess

Regional Summary

Inadequate amount of rainfall has been received in the entire Western Visayas region which may cause delays in land preparation but could also be beneficial to corn and rice crops specifically those in the harvesting period.

Nevertheless, observed accumulated rainfall amount for the past 3 months is generally near-normal all over the region. The vegetation index shows mostly healthy crops, with the exception of a small area of Negros Occidental and a small portion of Iloilo and Antique.

Furthermore, both RX1day and RX5day indices show that there were no significant heavy rainfall events that occurred during the month.

