

Region VII (Central Visayas)

Water Availability for Rice
Prevailing Stage : None

Provincial Values

	Mon. Ave. Rainfall (mm)	Rice CS	CCI (%)	Corn CS	CCI (%)
Bohol	26.7	I	3.3	I	11.6
		II	2.8	II	6.6
		III	2.7	III	4.4
		IV	5.8	IV	6.4
Cebu	26.5	I	3.4	I	11.7
		II	3.0	II	6.7
		III	2.8	III	4.5
		IV	6.0	IV	6.6
Negros Oriental	24.6	I	2.6	I	7.9
		II	2.3	II	4.4
		III	2.1	III	2.9
		IV	4.7	IV	4.3
Siquijor	56.1	I	15.7	I	42.2
		II	13.6	II	23.7
		III	12.8	III	15.9
		IV	27.7	IV	23.2

Harvesting and/or
pre-planting
stage is possibly
ongoing.

Water Availability for Corn
Prevailing Stage : None

Harvesting and/or
pre-planting
stage is possibly
ongoing.

Crop Stage (CS) highlighted in **bold** is the dominant stage during the month of April

Rice CS:	Corn CS:	CCI Category:
(I) Nursery	(I) Establishment	 Inadequate
(II) Vegetative	(II) Vegetative	 Sufficient
(III) Reproductive	(III) Reproductive	 Excess
(IV) Ripening	(IV) Maturity	

Regional Summary

The rainfall received for the month in the entire region was inadequate for the crops. Possible land preparation for the corn crops based on SPEI3 (Feb-Mar-Apr) index wherein rainfall is in near normal condition.

The extreme rainfall indices (RX1day and RX5day) also indicate that less rainfall was received by the region during the month which is not advisable for the farmers to plant rice and corn crops.

NDVI

NDVI satellite
data not yet
available.

SPEI3 (Feb-Mar-Apr)



RX1day



RX5day

