


Bangsamoro Autonomous Region in Muslim Mindanao




Water Availability for Corn
Prevailing Stage : None

Harvesting and/or pre-planting stage is possibly ongoing.

Provincial Values

	Mon. Ave. Rainfall (mm)	Rice		Corn	
		CS	CCI (%)	CS	CCI (%)
Basilan	48.9	I	0.4	I	3.4
		II	0.4	II	2.1
		III	0.3	III	1.4
		IV	0.7	IV	2.0
Lanao del Sur	110.2	I	7.2	I	26.9
		II	5.5	II	13.4
		III	4.9	III	7.2
		IV	15.5	IV	12.9
Maguindanao	75.5	I	3.9	I	16.8
		II	3.4	II	8.6
		III	3.1	III	5.5
		IV	7.6	IV	8.4
Sulu	27.2	I	0.1	I	0.3
		II	0.1	II	0.2
		III	0.1	III	0.1
		IV	0.2	IV	0.2
Tawi-Tawi	29.9	I	0.2	I	0.4
		II	0.2	II	0.2
		III	0.2	III	0.1
		IV	0.4	IV	0.2

Crop Stage (CS) highlighted in **bold** is the dominant stage during the month of April



Regional Summary

The region experienced inadequate rainfall conditions during the month, resulting in generally limited water availability across all provinces. The Crop Condition Index (CCI) for both rice and corn indicates that most areas fall under the inadequate category, suggesting that soil moisture remains insufficient to support crop growth and development, particularly during the prevailing nursery stage of rice. Meanwhile, no prevailing crop stage was observed for corn, implying that harvesting and/or pre-planting activities are likely ongoing across the region.

The 3-month Standardized Precipitation-Evapotranspiration Index (SPEI3) shows slightly drier conditions affecting most provinces, with small portions of Lanao del Sur and Basilan experiencing significantly drier conditions. This reflects the cumulative effect of below-normal rainfall, contributing to persistent moisture deficits.

The extreme rainfall indices (RX1day and RX5day) show that no significant heavy rainfall events were recorded during the month, with generally low rainfall accumulation observed across the region.

