



17 April 2023

SUPPLEMENTAL BID BULLETIN
ADDENDUM NO. 2023-003-02

Subject: Supply, Delivery, Installation, Testing, Training and Commissioning of the Weather Media Production System (Reference: PR No. 2023-02-0070 / IB No. 2023-003)

This Bid Bulletin is being issued to all prospective bidders to clarify, amend and/or modify certain provisions in the Bidding Documents and to answer clarificatory questions during the pre-bid conference by prospective bidders, to wit:

Queries from: **Media Convergence, Inc.**

| | |
|--|---|
| 1. Issuance of Bidding Documents | From: 03-21 April 2023 / 9:00 a.m. to 4:00 p.m. To: 03-21 April 2023 / 9:00 a.m. to 4:00 p.m. 24 April 2023 / 8:00 a.m. to 9:30 a.m. |
| 2. Equipment requiring "Manufacturer's Certificate" | The following equipment must have the "Manufacturer's Authorization": <ol style="list-style-type: none">1. Compact Cellular High Efficiency Video Coding (HEVC) Field Unit for On the Go Live Streaming Transmitter with 2 GSM dongles2. Receiver Server with 4 Outputs3. Remotely controllable 1080p Full Network Device Interface (NDI) Pan, Tilt and Zoom (PTZ) Camera w/ 20x Optical Zoom, 16x Digital Zoom4. Remotely controllable 1080p Full NDI PTZ Camera w/ 10x Optical Zoom5. NDI PTZ Camera Controller keyboard |
| 3. What are the requirements for requesting 15% Advance payment? | Pursuant to Section 4.5 Annex "D" of the 2016 Revised IRR of RA 9184, request for advance payment (not exceeding 15% of the contract amount) shall be accompanied by an " irrevocable letter of credit " or " bank guarantee " issued by a Universal or Commercial Bank . |
| 4. Do we need to provide Duly Authenticated Certification of Sole / Exclusive Distributorship from all suppliers or just the major suppliers only? | Please refer to Answer No. 2. However, Bidders are not precluded from submitting their Duly Authenticated Certification of Sole / Exclusive Distributorship for purposes of submission of their Technical requirements. |
| 5. Do we need to provide all form of Bid Security or the Bid Securing Declaration is enough? | Only one (1) Bid Security is required which must be in the prescribed form, amount and validity period. <i>(Please see Checklist of Requirements and sample forms to be provided in the bidding documents)</i> |

"tracking the sky...helping the country"

| | |
|---|---|
| <p>6. Can we submit an aggregate of 2 contracts for the SLCC?</p> | <p>Submission of “aggregate contracts” may be allowed for purposes of compliance with the SLCC requirements; provided, that, “prospective bidders should have completed at least two (2) similar contracts and the aggregate contract amounts should be equivalent to at least 50% of the ABC of the instant Project; and, the largest of these similar contracts must be equivalent to at least 25% of the ABC of the instant Project.” (Section 23.4.1.3 (a & b).</p> |
| <p>7. Will you provide a format for the NFCC or we will use our own format?</p> | <p>All prescribed bidding forms, including the format for the NFCC shall be provided by the PAGASA-BAC to all prospective bidders upon purchase of the bidding documents. It must be reminded that non-use of these prescribed bidding forms shall be a ground for outright rejection of the bidder’s submission.</p> |
| <p>8. For the item number 2 in the TOR, a receiver server of 4 output is required. However, we noticed that there is only 1 transmitter in the system therefore only 1 output is needed. Is a receiver server with 4 output hardware ready but only 1 output active license acceptable?</p> | <p>Yes, receiver server with 4 output hardware with 1 output active license is acceptable.</p> |

This shall form an integral part of the Bid Documents.

For guidance and information of all participating bidders.

Sgd
BONIFACIO G. PAJUELAS, Ph.D.
Chairperson, PAGASA-BAC